

AD-A218 853

DTIC FILE COPY

(4)

DL-TR-89-0273

PROPAGATION AND ATTENUATION OF Lg WAVES IN SOUTH AMERICA

Ramón Roigé Cabré S.J.
Patela Ramos Minaya
John Alcócer
Rodolfo Ayala

Observatorio San Calixto
Cas. 5939
La Paz, Bolivia

September 1989

DTIC
ELECTE
MAR 12 1990
S D & D

Final Report
1 August 1987-31 July 1989

Approved for public release; distribution unlimited

GEOPHYSICS LABORATORY
AIR FORCE SYSTEMS COMMAND
UNITED STATES AIR FORCE
HANSCOM AIR FORCE BASE, MASSACHUSETTS 01731-5000


90 03 09 066


SPONSORED BY
Defense Advanced Research Projects Agency
Nuclear Monitoring Research Office
ARPA ORDER NO.5299

MONITORED BY
Geophysics Laboratory
AFOSR-87-0311


The views and conclusions contained in this document are those of the authors and should not be interpreted as representing the official policies, either expressed or implied, of the Defense Advanced Research Projects Agency or the U.S. Government.

This technical report has been reviewed and is approved for publication.


JAMES F. LEWKOWICZ
Contract Manager
Solid Earth Geophysics Branch
Earth Sciences Division


JAMES F. LEWKOWICZ
Branch Chief
Solid Earth Geophysics Branch
Earth Sciences Division

FOR THE COMMANDER


DONALD H. ECKHARDT, Director
Earth Sciences Division

This report has been reviewed by the ESD Public Affairs Office (PA) and is releasable to the National Technical Information Service (NTIS).

Qualified requestors may obtain additional copies from the Defense Technical Information Center. All others should apply to the National Technical Information Service.

If your address has changed, or if you wish to be removed from the mailing list, or if the addressee is no longer employed by your organization, please notify GL/IMA, Hanscom AFB, MA 01731-5000. This will assist us in maintaining a current mailing list.

Do not return copies of this report unless contractual obligations or notices on a specific document requires that it be returned.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0100

1a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED			1b. RESTRICTIVE MARKINGS		
2a. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release; distribution unlimited		
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE					
4. PERFORMING ORGANIZATION REPORT NUMBER(S) 37			5. MONITORING ORGANIZATION REPORT NUMBER(S) GL-TR-89-0273		
6a. NAME OF PERFORMING ORGANIZATION Observatorio San Calixto		6b. OFFICE SYMBOL (if applicable)	7a. NAME OF MONITORING ORGANIZATION Geophysics Laboratory		
6c. ADDRESS (City, State, and ZIP Code) Cas. 5939 La Paz, Bolivia			7b. ADDRESS (City, State, and ZIP Code) Hanscom AFB, MA 01731-5000		
8a. NAME OF FUNDING/SPONSORING ORGANIZATION Geophysics Laboratory		8b. OFFICE SYMBOL (if applicable) LWH	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER Grant AFOSR-87-0311A		
8c. ADDRESS (City, State, and ZIP Code) Hanscom AFB, MA 01731-5000			10. SOURCE OF FUNDING NUMBERS		
PROGRAM ELEMENT NO. 61101E		PROJECT NO. 7A10	TASK NO. DA	WORK UNIT ACCESSION NO. DJ	
11. TITLE (Include Security Classification) PROPAGATION AND ATTENUATION OF Lg WAVES IN SOUTH AMERICA					
12. PERSONAL AUTHOR(S) CABRE Ramón Roigé MTNAYA Estela Ramos ALCOCER Ivar John AYALA Rodolfo René					
13a. TYPE OF REPORT Final		13b. TIME COVERED FROM 870801 TO 890731		14. DATE OF REPORT (Year, Month, Day) 1989 September	
15. PAGE COUNT 50					
16. SUPPLEMENTARY NO.					
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD	GROUP	SUB-GROUP	Earthquake, Lg waves, propagation, attenuation, South America La Paz LPB, velocity, period, normalized amplitude Lg/P, normalized energy, origin region, seismic station, shield. (cont.)		
19. ABSTRACT (Continue on reverse if necessary and identify by block number) Characteristics of Lg waves in La Paz station LPB are analyzed, in part I. After realizing that earthquakes with oceanic path and those deep do not produce Lg, they were discarded. Remaining 486 earthquakes, occurred from 1974 to 1986, are considered, looking for Lg characteristics, according to origin region. Lg are guided waves SH type, originated in surficial and in subduction intermediate depth earthquakes. Apparent velocity is 3.57 km/s independent of distance, but with some dispersion (beginning often is not clear). Predominant period is 1.1 to 1.3 s. Amplitude in most cases equals P amplitude; it is normalized by dividing Lg/P, with results similar to Bath's normalized wave energy. They are transmitted efficiently through shields, poorly along cordilleran structures; from Peru Lg recording is uneven, meriting a more detailed study; from southern region (Argentina and Chile) waves are weak, but not so much as suggested by a first glance (wave period longer finds lesser recording gain). In-part-II recording in several South American stations is considered. Some earthquakes of-					
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT <input checked="" type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT <input type="checkbox"/> DTIC USERS			21. ABSTRACT SECURITY CLASSIFICATION UNCLASSIFIED		
22a. NAME OF RESPONSIBLE INDIVIDUAL James LEWKOWICZ			22b. TELEPHONE (Include Area Code)		22c. OFFICE SYMBOL GL/LWH

18 (cont'd)

recording type, oceanic path, cordilleran path, transmission efficiency.

19 (cont'd)

part I were revised. They confirm ^{previous} conclusions of part I and help to identify efficiency of different paths and type of Lg recording, since origin regions and recording stations are at the ends of wave path (figs. 12-14). Type of recording may unveil hidden cordilleran structure in Andes-plains transition. (h.d.)

Accession For	
NTIS CRA&I	<input checked="checked" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distribution /	
Availability Codes	
Dist	Avail and/or Special
A-1	



Grant AFOSR-87-0311A
PROPAGATION AND ATTENUATION OF Lg WAVES IN SOUTH AMERICA

SCIENTIFIC REPORT

INTRODUCTION

The seismic phase Lg had not been remarked by seismologists before Press and Ewing (1952) studies, in spite of its relevance in many short period records; possibly it was a part of a relative abandon of surface waves (which had been considered the main part of seismograms, but later they were of much less use than shorter smaller body waves).

Pomeroy et al. (1982) review the investigations achieved concerning Lg (together with other regional phases) considered potential discriminators between earthquakes and explosions; they list a generous bibliography, that we shall spare now.

A fact we have to emphasize: Lg has been studied mostly for ancient crustal paths, so that results generally are characterized by two qualities: relevance and uniformity, making them a good candidate for the measurements of seismic magnitude, especially for small events.

In South America a few Lg studies have been performed; we mention only Cabré (1971) and Chinn et al. (1980). The theses of Alcócer (1989) and Ayala (1989) and a paper of Minaya et al. (1989) are a fruit of this Grant and are synthesized in that report.

PART I. Lg AS RECORDED IN LPB STATION

Data used

486 earthquakes occurred in or near South America and have been examined in La Paz, Bolivia, LPB station records, after rejecting those with oceanic path enough long to eliminate Lg and those deeper than 200 km. We consider earthquakes between 1974 and 1986, of magnitude mb between 4.4 and 5.8. (Epicenter determinations by the International Seismological Centre were used). Let us remark the uneven distribution of epicenters in the region, especially we have to emphasize the small number of earthquakes from the Brazil. See hypocentral data in Table I, together with azimuth to LPB and epicentral distance in degrees, hypocentral distance in km, velocity, normalized amplitude Lg/P (introduced later), time of Lg travel and character.

Table I

No.	DATE	H	LAT	LONG	W	H	mb	D	Az	V	Lg/P	D	T	CHAR
	y	m	d	h	m	s	(o)	(o)	(km)	(o)	(o)(km/s)	(km)	(s)	

COLOMBIA

1-75	V	12	00	00	39.0	6.88N	73.09	59	4.6	23.78	168	3.65	2.7	2646.9	726.0	B
2-75	VI	23	05	22	40.3	6.83N	73.11	162	4.9	23.73	168	3.65	5.6	2641.6	723.7	B
3-76	II	01	03	03	36.3	0.40N	77.21	42	4.6	19.00	152	3.57	7.7	2119.3	593.7	A
4-76	III	13	21	44	41.8	6.83N	72.98	166	5.3	23.71	168	3.69	1.8	2639.6	714.2	A
5-76	V	12	16	42	15.1	7.43N	74.95	61	5.1	24.75	164	3.59	6.6	2750.6	810.9	A
6-76	VI	14	01	37	00.1	6.75N	73.0	161	4.8	23.64	168	3.55	1.9	2631.6	741.9	B
7-76	VIII	03	02	19	22.7	5.23N	75.97	123	4.7	22.80	160	3.67	5.1	2533.1	689.0	B
8-77	V	15	21	52	43.8	6.20N	77.44	6	4.7	24.41	160	3.54	1.1	2712.2	766.2	B
9-78	I	10	20	00	36.1	3.51N	73.64	42	4.8	20.65	165	3.56	1.6	2294.8	644.9	C
10-78	IV	20	04	28	29.0	12.00N	72.54	13	5.2	28.68	170	3.57	1.8	3125.4	891.0	A
11-78	V	27	16	16	42.6	6.76N	72.98	125	4.7	23.64	168	3.56	1.2	2631.8	739.4	B
12-78	VI	18	02	20	25.3	6.83N	72.9	169	4.1	23.70	168	3.62	2.3	2639.6	727.0	C
13-78	VIII	08	02	58	36.2	7.32N	72.11	39	5.0	23.73	170	3.56	8.3	2636.9	738.8	A
14-78	X	05	23	22	21.0	7.36N	76.94	35	4.7	25.30	160	3.56	0.9	2811.3	789.7	C
15-79	V	29	12	59	02.5	5.28N	75.73	122	4.9	22.95	161	3.64	1.8	2552.9	700.5	B
16-79	IX	02	02	00	12.4	4.28N	76.39	101	4.7	28.86	159	3.68	0.6	3474.2	944.0	C
17-80	II	12	00	18	49.4	3.65N	74.02	39	4.4	20.89	164	3.53	2.0	2329.4	657.6	B
18-80	III	06	13	42	09.0	5.97N	74.25	60	4.5	23.16	165	3.54	1.0	2574.0	720.0	B
19-80	V	25	15	43	30.4	5.45N	74.50	33	5.0	22.47	164	3.56	3.1	2456.8	701.3	B
20-80	XI	10	16	34	39.5	6.62N	72.92	171	4.9	23.68	168	3.53	1.0	2636.6	746.5	B
21-80	XI	26	17	35	41.2	7.87N	72.40	46	4.9	24.62	170	3.55	8.1	2735.7	759.8	A
22-80	XI	27	06	50	50.0	10.90N	68.00	33	---	27.29	180	3.59	5.5	3032.4	842.2	A
23-81	IV	27	18	50	38.7	7.01N	75.52	33	4.9	24.87	160	3.58	1.4	2763.5	771.3	B
24-81	V	13	04	30	25.0	4.10N	77.11	47	4.6	22.35	157	3.54	2.7	2483.7	701.6	C
25-81	V	20	03	01	49.0	7.74N	76.31	136	4.5	22.64	159	3.59	1.0	2519.2	701.7	C
26-81	VI	13	18	39	23.9	6.76N	73.05	171	5.0	23.67	168	3.68	1.4	2635.5	715.1	B
27-81	VIII	05	12	58	28.0	3.90N	76.39	62	5.1	21.92	158	3.56	1.9	2436.3	685.0	A
28-81	VIII	25	16	54	35.0	6.95N	76.60	8	5.3	24.80	160	3.55	6.1	2755.5	775.0	C
29-81	VII	30	20	50	9.4	6.91N	76.53	35	4.9	24.74	160	3.51	0.5	2749.1	783.6	C
30-81	X	24	04	36	50.9	6.02N	73.00	167	4.9	23.71	168	3.51	1.3	2639.7	752.1	C
31-81	X	26	09	05	29.8	6.79N	73.05	165	4.9	23.69	168	3.69	2.8	2637.4	714.2	C
32-81	XII	17	12	54	03.4	6.73N	73.05	165	5.0	23.68	168	3.67	0.0	2636.2	718.3	B
33-82	II	23	20	07	30.9	6.73N	73.01	175	4.7	23.62	168	3.56	2.6	2630.2	719.2	A
34-82	III	09	12	21	52.2	6.76N	72.96	170	4.7	23.63	168	3.50	1.8	2631.3	752.0	B
35-82	V	14	01	18	50.8	2.36N	75.50	63	4.6	20.13	159	3.52	2.6	2236.6	632.2	B
36-82	VII	12	13	35	42.0	4.34N	73.53	16	4.6	21.42	166	3.55	2.2	2380.0	670.0	C
37-82	VIII	15	07	26	28.3	6.74N	73.01	172	4.9	23.50	168	3.54	3.3	2616.7	739.7	C

38-82	XII	23	22	47	2.4	6.87N	72.82	160	4.8	23.72	169	3.64	1.3	2640.1	723.6	C
39-83	I	10	17	02	27.5	6.76N	72.98	171	4.9	23.65	168	3.57	2.0	2645.0	737.5	A
40-83	III	07	23	14	11.4	6.86N	73.04	163	4.8	23.76	168	3.52	1.6	2644.0	751.6	C
41-83	III	31	13	12	51.0	2.50N	76.70	12	5.4	20.68	156	3.57	5.6	2297.8	634.0	A
42-83	VII	23	21	29	44.6	6.88N	73.06	160	4.5	23.78	168	3.54	2.3	2647.0	746.4	C
43-83	VII	24	15	39	45.6	6.82N	73.05	165	4.8	23.71	168	3.54	2.7	2639.6	746.4	C
44-83	VIII	29	08	24	24.7	6.80N	73.0	169	5.0	23.70	168	3.65	4.4	2638.5	721.3	A
45-83	XII	31	12	18	5.5	6.82N	73.02	170	4.7	23.70	168	3.54	0.8	2638.8	744.5	C
46-84	I	06	11	37	49.8	6.75N	73.06	166	5.0	23.66	168	3.59	4.7	2630.8	733.2	C
47-84	I	25	18	46	25.0	3.50N	76.66	49	4.6	21.62	157	3.53	3.4	2402.7	680.0	C
48-84	I	28	17	04	39.2	6.66N	74.52	81	5.0	23.91	165	3.50	1.7	2657.9	758.5	B
49-84	VIII	11	13	14	20.9	6.76N	72.99	173	4.7	23.65	168	3.65	1.3	2633.4	721.1	B
50-84	X	27	11	56	13.2	9.82N	74.73	61	5.0	26.99	166	3.68	0.5	2999.5	815.1	C

VENEZUELA

1-74	I	25	21	51	48.0	11.00N	61.00	27	4.4	27.93	194	3.52		3103.4	802.0	A
2-74	VI	12	16	25	45.2	10.60N	63.47	11	5.7	27.35	190	3.66	1.0	3038.9	829.8	A
3-74	VI	13	12	32	31.0	10.61N	63.35	0	---	27.37	190	3.57	8.4	3040.8	852.0	B
4-74	IX	20	14	47	57.9	9.35N	70.57	41	4.7	25.83	175	3.54	3.6	2870.3	812.1	B
5-74	X	29	03	10	16.9	10.50N	63.45	33	5.0	27.33	191	3.62	1.1	3036.8	839.1	A
6-75	III	05	13	47	58.3	9.13N	69.87	25	5.5	25.56	176	3.65	5.6	2840.1	779.7	C
7-75	III	05	15	18	14.8	9.17N	69.91	43	4.5	25.60	176	3.51	4.3	2844.7	810.2	B
8-75	IV	05	09	34	37.6	10.10N	69.95	36	5.5	26.43	177	3.66	2.7	2936.8	802.4	B
9-75	IV	15	09	47	44.8	9.42N	61.47	52	5.3	26.61	194	3.63	3.4	2957.1	814.6	B
10-75	VII	10	05	17	33.0	10.94N	64.46	3	4.8	27.53	188	3.66	6.1	3058.0	836.0	B
11-75	VIII	24	01	05	15.1	10.75N	62.65	111	5.1	27.64	191	3.59	2.0	3073.1	854.9	A
12-75	XII	05	09	31	58.8	10.83N	62.67	144	4.9	27.71	191	3.63	4.6	3062.2	849.2	A
13-76	X	13	17	35	50.7	10.81N	61.53	63	4.9	27.93	194	3.65	1.6	3103.9	815.3	A
14-76	XII	02	05	33	59.3	10.70N	63.71	38	4.8	27.19	177	3.63	2.9	3021.3	832.7	B
15-76	XII	21	04	32	31.0	8.80N	61.70	40	4.7	25.92	194	3.68	1.9	2880.0	783.0	A
16-77	I	26	05	43	22.8	7.50N	71.95	75	4.6	24.18	171	3.51	1.2	2687.7	766.2	B
17-77	II	21	03	07	43.5	10.52N	62.51	45	4.7	27.45	192	3.58	1.5	3050.3	850.5	B
18-77	II	21	17	48	1.0	9.55N	70.81	4	5.0	26.00	174	3.53	4.6	2888.8	819.0	B
19-77	VII	24	05	44	44.3	10.82N	60.79	14	4.6	27.19	179	3.53	9.0	3021.1	855.7	A
20-77	VIII	14	04	22	49.7	10.94N	62.36	110	4.2	27.07	192	3.65	5.9	3098.6	831.3	B
21-77	IX	03	15	25	16.1	10.42N	62.28	35	4.7	27.39	192	3.54	7.6	3043.5	857.9	B
22-77	IX	14	20	51	8.8	10.85N	62.38	94	4.7	27.79	192	3.51	1.3	3098.2	802.7	B
23-77	IX	18	17	31	16.2	10.51N	63.33	42	4.6	27.28	190	3.55	7.2	3031.4	853.8	B
24-77	X	04	13	44	54.7	10.38N	62.32	42	5.1	27.34	142	3.55	1.3	3038.0	855.8	C
25-77	XII	11	16	22	6.2	9.56N	69.52	2	5.5	25.70	177	3.56	6.4	2855.5	801.3	B
26-77	XII	17	23	25	10.0	10.90N	65.50	14	4.6	27.30	186	3.54	9.5	3042.2	859.4	A
27-78	I	10	01	17	54.5	10.26N	62.19	46	4.8	27.26	192	3.59	2.2	3029.2	842.5	B
28-78	III	15	15	26	37.8	10.33N	62.25	11	4.5	27.31	192	3.62	2.5	3034.4	839.0	C
29-78	V	18	03	25	4.9	10.76N	62.45	116	4.7	27.68	192	3.65	1.2	3077.7	871.1	B
30-78	XI	07	02	40	23.0	8.57N	62.90	17	4.6	25.46	192	3.55	1.9	2828.9	797.0	A
31-79	III	30	12	10	07.0	12.89N	70.79	33	4.6	29.36	175	3.53	1.2	3262.3	923.0	B
32-79	V	05	20	04	56.0	8.43N	70.91	08	5.4	24.96	174	3.53	8.6	2773.3	784.4	B
33-79	V	05	20	08	40.3	8.40N	70.99	34	5.2	25.01	173	3.65	5.0	2777.9	760.7	A

34-79	VII	17	08	49	28.8	10.25N	62.24	40	4.6	27.00	193	3.54	6.6	3000.2	847.2	A
35-79	VIII	03	11	43	57.3	8.73N	70.76	15	4.8	25.24	174	3.68	1.4	2837.8	720.7	C
36-80	II	12	02	29	14.0	9.85N	68.62	24	4.6	26.21	179	3.54	1.9	2912.3	822.0	A
37-80	VI	23	22	57	39.0	10.53N	63.40	11	5.0	27.29	190	3.50	1.5	3032.2	846.0	B
38-80	XI	17	16	50	21.5	10.80N	69.49	39	4.6	27.27	177	3.55	6.9	3030.2	854.5	B
39-80	XI	27	06	50	50.0	10.90N	68.00	33	---	27.29	180	3.59	5.5	3032.4	844.7	B
40-80	XII	20	17	00	24.3	9.69N	72.43	66	4.6	26.41	171	3.55	2.4	2935.1	826.8	C
41-81	X	18	04	31	1.2	8.20N	72.00	37	5.5	24.29	170	3.67	4.6	2699.1	735.8	A
42-81	XII	00	22	53	13.3	9.03N	71.06	43	4.5	25.57	173	3.50	1.6	2841.4	811.8	B
43-81	XII	25	12	35	48.3	10.84N	62.40	96	5.1	27.88	192	3.68	4.0	3099.2	833.7	B
44-82	I	15	03	59	18.0	9.40N	69.91	12	5.1	25.83	176	3.56	1.7	2870.0	806.2	C
45-82	III	18	02	11	50.0	10.50N	62.40	58	4.5	27.44	192	3.57	1.6	3049.4	855.0	B
46-82	V	10	01	25	57.3	10.70N	62.50	100	5.2	27.62	192	3.62	1.6	3070.5	847.7	B
47-82	V	27	11	26	6.6	8.75N	70.89	14	4.7	25.27	174	3.54	3.1	2807.8	792.4	B
48-82	VIII	10	08	24	00.0	10.60N	62.57	104	4.8	27.59	192	3.63	3.7	3067.3	845.5	B
49-82	XI	23	17	27	1.0	10.57N	63.20	23	4.8	27.36	190	3.54	1.0	3044.5	859.0	B
50-82	XII	11	10	18	37.3	8.65N	71.72	14	5.1	25.27	172	3.55	3.5	2807.8	790.7	B
51-83	III	19	03	00	26.3	10.60N	63.17	28	4.6	27.40	190	3.57	1.1	3044.5	853.2	B
52-83	IV	11	08	00	7.2	10.47N	62.74	43	4.7	27.35	191	3.56	6.4	3039.2	852.8	A
53-83	IV	11	08	18	10.2	10.43N	62.71	45	4.5	27.21	192	3.56	10.6	3033.5	852.8	A
54-83	V	02	21	55	52.4	10.31N	62.63	45	4.5	27.21	192	3.56	9.1	3000.3	842.8	B
55-84	I	23	21	36	50.8	10.72N	62.69	120	5.0	27.60	191	3.67	3.0	3069.0	835.2	B
56-84	V	25	00	59	23.6	10.37N	62.42	41	4.7	27.32	192	3.55	13.0	3035.8	854.4	A
57-84	VI	12	23	08	55.5	7.91N	71.31	38	4.7	24.49	173	3.51	1.7	2721.4	774.5	B
58-84	VI	14	10	04	30.7	9.92N	69.77	38	5.2	26.34	176	3.59	10.7	2926.9	814.0	A
59-85	II	26	11	41	15.0	9.72N	61.37	62	4.5	26.92	194	3.56	2.8	2991.7	840.4	B
60-85	II	28	01	12	56.8	9.64N	61.39	45	4.5	26.83	194	3.60	2.8	2981.4	828.2	B
61-85	III	25	07	10	33.6	10.35N	62.53	10	4.7	27.27	192	3.52	2.8	3030.0	860.0	B
62-85	VI	11	13	48	4.0	10.60N	62.93	33	4.9	27.44	191	3.58	10.3	3049.1	864.3	A

ARGENTINA

1-74	I	07	16	35	5.6	26.87S	65.70	20	5.7	10.54	347	3.61	1.9	1171.3	324.5	C
2-74	I	11	05	18	0.9	31.96S	68.05	100	5.2	15.09	10	3.62	0.1	1600.1	464.1	C
3-74	I	23	21	43	49.4	32.23S	69.02	103	5.2	15.70	5	3.59	1.2	1747.5	485.6	C
4-74	II	14	06	19	56.6	26.13S	66.36	40	4.9	9.69	350	3.63	0.5	1077.4	296.5	B
5-74	II	20	03	02	52.3	30.70S	68.64	104	5.4	13.49	27	3.58	1.6	1502.5	419.5	B
6-74	IV	02	19	36	43.6	30.83S	65.27	179	5.4	14.46	349	3.61	0.1	1616.6	447.9	C
7-74	VIII	14	17	56	40.3	32.20S	69.11	141	5.3	16.24	3	3.61	9.5	1803.9	501.3	C
8-74	II	16	07	47	51.5	33.34S	68.33	35	4.8	16.47	1	3.54	0.6	1060.3	525.5	B
9-74	VIII	17	12	12	45.2	33.08S	64.41	47	4.7	7.21	331	3.63	3.0	882.5	221.1	B
10-74	VIII	24	19	58	20.0	31.36S	67.40	12	5.3	14.77	357	3.52	2.5	1641.1	466.2	B
11-74	VIII	27	15	20	58.4	27.87S	66.70	149	5.5	11.36	353	3.53	9.5	1271.9	359.6	B
12-74	IX	03	20	22	20.5	25.89S	67.64	45	4.8	9.30	357	3.48	6.8	1034.3	297.5	C
13-74	X	06	07	47	51.5	30.93S	65.09	40	4.7	14.60	348	---	---	1622.7	---	---
14-75	V	06	18	10	02.0	32.93S	69.02	14	5.0	16.35	3	3.59	2.0	1016.7	505.0	B
15-75	V	10	02	40	22.0	23.98S	66.00	0	---	7.60	344	3.55	1.1	844.4	238.0	C
16-75	VI	05	14	32	11.0	20.81S	66.52	173	4.7	11.52	352	3.57	0.9	1291.6	361.0	B
17-75	IX	05	19	10	9.2	24.00S	66.71	192	4.9	7.62	350	3.50	6.3	366.1	240.0	B

18-75	IX	20	21	07	02.0	32.595	68.70	24	4.9	16.00	2	3.50	1.0	1777.9	508.0	B
19-75	XI	17	06	45	46.0	31.635	69.40	112	5.2	15.07	5	3.55	1.4	1678.2	473.0	B
20-75	XII	06	05	35	37.0	30.895	68.85	122	5.0	14.31	3	3.61	3.8	1594.6	441.7	C
21-76	I	04	04	42	4.0	27.905	66.00	128	4.8	11.47	350	3.52	0.8	1280.8	364.0	C
22-76	II	14	09	01	52.0	33.655	68.92	20	4.8	17.06	3	3.53	0.9	1895.6	537.0	C
23-76	III	20	02	55	47.8	27.365	67.36	118	4.8	11.02	356	3.57	0.8	1230.1	344.2	C
24-76	III	27	21	05	7.1	31.835	67.66	122	5.1	15.24	358	3.55	0.1	1687.7	478.9	C
25-76	V	04	02	07	11.3	27.305	65.80	58	4.7	10.56	348	3.39	3.2	1219.1	359.6	C
26-76	VIII	03	23	43	54.6	31.535	68.49	119	5.0	14.94	2	3.70	2.3	1660.0	449.4	B
27-76	IX	12	03	51	24.5	24.145	66.78	178	4.8	7.67	351	3.60	0.4	870.6	241.5	B
28-76	X	24	00	13	51.0	32.805	69.28	25	4.9	16.23	4	3.53	1.6	1803.5	511.0	C
29-76	XI	26	07	13	38.0	27.985	64.73	25	5.0	11.81	344	3.51	1.8	1312.4	374.0	C
30-76		14	49	58.8	29.665	68.90	140	5.0	13.09	4	3.61	2.1	1461.2	404.3	C	
31-77	I	25	00	50	49.0	33.595	68.27	20	5.4	16.98	1	3.54	5.9	1886.7	533.0	B
32-77	VI	07	13	31	23.7	29.745	67.80	102	5.1	13.51	359	3.57	5.2	1464.6	418.2	C
33-77	VI	27	22	53	57.0	30.395	67.10	52	4.8	13.83	356	3.52	9.0	1537.5	436.8	C
34-77	VIII	03	14	27	32.5	31.675	69.29	51	5.0	15.11	4	3.49	0.2	1679.6	481.3	C
35-77	VIII	29	16	36	1.9	31.905	69.22	114	5.3	15.33	4	3.62	3.8	1707.1	471.6	C
36-77	XI	23	09	26	23.4	31.045	67.76	4	6.4	14.45	359	3.62	4.9	1605.5	443.6	B
37-77	XI	23	11	08	43.0	31.325	67.82	32	5.3	14.72	359	3.67	0.8	1635.8	446.0	B
38-77	XI	23	11	44	23.0	31.605	67.85	60	4.7	15.00	359	3.61	0.5	1667.7	462.0	B
39-77	XI	23	11	46	55.4	31.835	67.58	8	5.2	14.44	358	3.62	1.9	1604.4	443.6	C
40-77	XI	23	11	58	10.0	31.005	67.86	22	5.5	14.40	359	3.60	3.2	1600.1	444.5	C
41-77	XI	23	13	38	51.0	31.485	68.20	49	4.8	14.88	0	3.52	0.4	1654.0	470.0	C
42-77	XI	23	13	50	38.0	31.365	68.00	78	4.9	14.76	359	3.64	1.0	1641.8	451.0	C
43-77	XI	23	15	37	56.0	31.805	67.74	65	4.6	15.20	359	3.53	0.3	1680.8	478.4	C
44-77	XI	23	16	17	51.0	31.215	67.52	20	4.5	14.62	358	3.59	1.2	1624.0	452.4	C
45-77	XI	23	16	28	23.0	31.265	67.66	10	5.1	14.76	358	3.70	2.7	1630.0	440.0	B
46-77	XI	23	16	36	3.0	31.305	67.73	21	5.6	14.70	359	3.54	5.3	1633.4	461.4	C
47-77	XI	23	16	40	53.1	30.805	67.10	33	5.1	14.23	356	3.56	3.0	1581.4	443.0	C
48-77	XI	23	21	52	2.5	31.435	67.71	36	4.9	14	359	3.53	1.2	1648.2	467.5	C
49-77	XI	23	21	57	28.3	31.685	67.74	62	4.8	15.00	359	3.43	0.6	1676.7	488.7	C
50-77	XI	23	23	04	13.4	31.825	67.98	84	5.0	15.22	359	3.43	0.6	1693.2	493.6	C
51-77	XI	23	23	27	36.0	31.315	67.69	20	5.1	15.02	358	3.45	2.1	1668.9	484.0	C
52-77	XI	23	23	32	20.0	30.375	67.37	23	---	13.79	357	3.56	1.1	1532.4	430.0	B
53-77	XI	24	00	08	29.1	31.805	67.53	33	---	15.21	358	3.59	2.1	1690.3	469.9	C
54-77	XI	24	03	20	05.0	31.715	67.80	62	4.4	15.12	359	3.54	1.7	1181.1	475.0	C
55-77	XI	24	03	57	50.0	31.795	67.80	48	4.3	15.19	359	3.60	0.8	1688.4	465.0	C
56-77	XI	24	04	59	27.0	31.925	67.60	62	---	15.31	358	3.38	0.4	1702.2	503.0	C
57-77	XI	24	05	06	24.9	31.755	67.60	45	4.3	15.16	358	3.55	2.5	1685.0	475.1	C
58-77	XI	24	06	13	35.0	31.645	67.61	19	4.2	15.05	358	3.43	0.8	1672.2	487.5	C
59-77	XI	24	11	08	39.0	31.705	67.90	83	4.0	15.10	359	3.44	0.5	1677.8	488.0	C
60-77	XI	24	18	28	16.5	31.315	67.69	33	5.6	14.72	358	3.40	1.2	1635.5	481.0	C
61-77	XI	24	18	42	40.0	31.375	69.79	26	5.8	14.77	359	3.62	2.8	1641.3	453.4	C
62-77	XI	24	22	19	58.3	31.485	67.70	51	4.4	14.88	359	3.61	0.3	1654.1	457.7	C
63-77	XI	24	23	00	54.5	31.245	67.76	47	4.9	14.65	359	3.50	1.9	1628.4	465.5	C
64-77	XI	25	00	04	31.6	31.065	67.73	43	5.4	14.47	359	3.48	0.6	1608.3	462.4	C
65-77	XI	25	03	24	37.3	31.675	67.25	33	4.5	15.08	359	3.63	4.2	1675.8	461.7	C
66-77	XI	25	03	47	16.6	31.795	67.75	41	5.0	15.19	358	3.62	3.4	1680.2	466.4	C
67-77	XI	25	04	06	53.1	31.185	67.70	22	4.8	14.59	358	3.63	2.0	1621.2	446.9	C
68-77	XI	25	18	02	40.3	31.245	67.82	53	4.9	14.69	359	---	---	1632.5	---	---
69-77	XI	25	18	56	32.1	31.365	67.48	33	4.9	14.78	358	---	---	1642.0	---	---

70-77	XI	25	20	42	15.6	31.305	67.63	47	4.1	14.70	358	3.34	1.2	1633.0	210.2	C
71-77	XI	26	00	44	9.0	31.615	67.65	24	4.7	15.02	358	3.45	0.8	1669.0	484.0	C
72-77	XI	26	13	52	21.5	31.345	67.49	33	5.0	14.75	358	3.65	0.7	1639.2	448.5	C
73-77	XI	26	20	26	51.0	31.355	67.70	33	3.7	14.76	358	3.54	1.0	1640.3	463.0	C
74-77	XI	27	06	26	4.0	31.135	67.70	33	3.6	14.54	358	3.59	0.2	1615.9	450.0	C
75-77	XI	27	20	15	5.3	31.655	67.80	47	4.8	15.05	357	3.59	1.1	1672.9	464.7	C
76-77	XI	29	00	17	24.3	31.095	67.68	28	5.3	14.41	358	3.59	1.5	1601.3	445.7	B
77-77	XI	28	04	19	31.0	31.685	67.65	2	5.6	15.00	358	3.54	11.1	1675.5	473.0	B
78-77	XI	28	05	39	24.0	30.975	68.05	23	5.3	14.37	360	3.55	7.4	1596.8	450.0	B
79-77	XI	28	06	31	29.1	31.445	67.44	17	5.9	14.85	358	3.50	14.3	1650.1	460.9	B
80-77	XI	28	18	40	18.8	31.905	69.01	97	5.2	15.32	3	3.66	1.1	1705.0	466.2	C
81-77	XI	28	23	07	57.0	31.695	67.30	1	4.9	15.10	357	3.52	2.0	1677.8	477.0	C
82-77	XI	29	00	33	38.0	31.625	67.80	33	4.8	15.03	359	3.53	0.5	1670.3	473.0	B
83-77	XII	05	15	43	26.0	31.105	67.96	11	5.4	14.50	359	3.55	3.0	1611.1	453.8	C
84-77	XII	06	08	41	35.0	31.025	67.74	5	5.4	14.43	359	3.53	5.2	1603.3	454.2	B
85-77	XII	06	17	05	6.9	31.245	67.90	21	5.9	14.64	359	3.56	7.8	1626.8	457.1	B
86-77	XII	06	18	27	38.0	31.305	67.63	4	5.1	14.71	358	3.46	0.6	1634.4	472.4	C
87-77	XII	07	00	32	36.2	28.635	67.38	128	5.3	12.06	347	3.61	1.5	1646.1	372.8	B
88-77	XII	07	03	22	44.0	31.195	67.80	27	5.1	14.59	359	3.56	6.5	1621.3	456.0	C
89-77	XII	09	21	44	50.0	31.585	67.85	14	4.9	14.98	359	3.59	1.5	1664.5	463.0	C
90-77	XII	10	07	11	55.6	31.275	67.70	39	5.1	14.67	358	3.45	9.5	1630.4	472.6	C
91-77	XII	10	08	37	1.0	31.275	67.75	37	4.8	14.65	357	3.56	3.7	1628.0	457.3	B
92-77	XII	10	14	19	57.9	31.215	67.75	27	5.2	14.62	359	3.44	1.4	1624.6	372.1	C
93-77	XII	12	16	02	33.0	31.385	67.50	40	4.9	14.79	358	3.40	0.9	1643.8	483.0	C
94-77	XII	21	03	47	32.2	31.585	67.70	33	5.7	14.90	359	3.65	5.8	1664.7	455.8	C
95-78	I	01	10	50	56.0	31.145	69.08	17	5.1	14.54	359	3.52	2.9	1615.6	459.0	C
96-78	I	03	01	10	4.4	31.545	67.90	35	5.3	14.94	359	3.67	1.3	1660.4	452.6	C
97-78	I	03	06	31	5.1	31.265	67.83	38	5.0	14.67	359	3.69	1.2	1630.4	441.9	C
98-78	I	17	11	33	14.5	21.255	68.00	20	5.8	14.65	360	3.65	15.2	1627.9	445.5	B
99-78	I	22	12	08	25.8	31.455	67.97	35	4.6	14.85	359	3.39	0.7	1650.3	459.2	C
100-78	I	24	12	18	15.7	31.745	68.91	18	5.6	15.15	3	3.64	2.2	1683.4	462.3	C
101-78	III	18	00	38	40.0	31.415	67.80	16	5.1	14.81	359	-----	-----	1645.6	-----	-----
102-78	IV	04	19	33	53.3	31.205	67.74	17	5.4	14.60	359	3.61	2.0	1622.3	449.4	C
103-78	V	10	23	06	02.0	29.975	67.91	30	5.1	13.40	3	3.66	2.2	1489.3	407.0	C
104-78	VI	07	15	16	45.0	32.085	67.56	41	5.1	15.49	358	3.41	0.5	1721.6	505.0	C
105-78	VI	26	18	49	11.8	31.605	67.71	0	5.1	15.01	359	3.52	0.5	1667.8	473.2	C
106-78	VII	26	01	47	16.1	31.345	67.76	46	5.0	14.94	359	3.53	0.9	1660.6	469.9	C
107-78	VIII	21	00	28	25.1	31.205	67.86	25	5.5	14.68	359	3.61	2.4	1636.3	453.7	C
108-78	X	01	36	41.7	31.545	67.68	43	5.3	14.95	358	3.61	1.1	1661.6	460.3	C	
109-79	I	29	03	22	45.5	31.265	68.40	10	5.0	14.66	1	3.62	0.7	1620.9	450.0	C
110-79	II	23	23	08	3.1	31.155	68.34	51	4.8	14.56	1	3.69	0.9	1618.5	439.6	C
111-79	VIII	30	18	59	46.9	31.475	67.69	47	5.4	14.88	358	3.72	9.8	1654.0	443.1	C
112-79	X	08	01	52	40.0	31.465	68.04	39	4.8	14.86	360	3.64	4.0	1651.6	453.7	B
113-80	I	17	11	00	10.0	31.475	67.70	29	4.8	14.80	359	3.52	0.1	1653.6	470.0	C
114-80	I	24	18	34	4.1	31.735	68.50	43	4.7	15.19	1	3.51	0.9	1639.3	409.9	C
115-80	IV	09	08	17	57.4	31.655	67.48	23	5.4	15.06	358	3.54	8.1	1673.5	472.6	C
116-80	V	25	21	46	11.8	31.335	68.00	43	5.0	14.73	360	3.53	1.5	1637.2	463.2	C
117-80	XI	10	16	24	39.0	31.625	67.47	13	5.6	15.03	358	3.61	2.6	1670.0	463.0	C
118-80	XII	06	03	43	11.5	31.265	67.52	46	4.8	14.67	359	3.50	1.7	1637.5	455.5	C
119-81	VII	02	11	03	35.0	32.995	69.08	58	4.5	16.41	3	3.50	0.7	1824.2	509.0	C
120-82	VIII	04	05	12	20.2	30.535	68.11	53	4.8	13.94	0	3.43	0.8	1549.8	451.0	C
121-82	XII	04	03	26	42.6	31.275	67.75	36	4.9	14.67	359	3.59	1.2	1630.4	453.4	B

122-83	XI	26	17	00	2.1	31.48S	68.88	108	5.1	14.89	3	3.63	0.8	1657.9	448.0	C
123-83	XII	04	02	00	35.4	31.77S	69.42	113	5.2	15.21	5	3.51	3.7	1693.7	492.5	B
124-83	XII	04	02	09	20.8	24.05S	66.79	191	5.2	7.57	350	3.63	2.7	862.5	237.6	B
125-86	III	12	22	04	19.1	24.08S	66.80	198	5.2	7.69	351	3.47	0.6	877.1	252.9	B

CHILE

1-72	V	15	09	12	56.6	29.70S	71.30	49	4.9	13.40	13	3.52	5.9	1489.7	423.4	C
2-72	V	15	10	09	38.0	29.60S	69.40	17	5.4	13.09	6	3.66	14.1	1454.5	397.0	B
3-72	V	28	07	28	13.5	27.70S	71.30	53	4.8	11.47	15	3.66	25.1	1275.5	348.5	B
4-72	V	28	09	46	14.5	27.70S	71.40	4	4.9	11.48	16	3.66	19.3	1275.5	348.5	B
5-74	I	06	06	28	15.2	29.80S	71.26	67	5.0	13.52	13	3.61	5.8	1537.0	416.8	C
6-74	I	06	15	01	34.5	23.77S	68.79	87	5.3	7.23	5	3.58	13.6	808.0	225.5	B
7-74	VIII	04	21	00	52.8	24.45S	69.94	66	5.0	8.07	13	3.52	5.6	899.1	255.0	B
8-74	VIII	09	17	17	1.6	37.23S	73.62	11	5.0	21.19	15	3.59	0.7	2354.4	355.4	C
9-74	VIII	15	18	27	30.6	18.00S	71.03	98	5.4	18.75	9	3.61	1.1	2085.6	577.4	C
10-74	VIII	17	14	38	38.6	19.29S	69.74	98	4.2	3.15	30	3.45	0.3	363.3	105.4	B
11-74	VIII	18	10	44	11.8	38.34S	73.27	19	5.9	22.20	13	3.60	10.7	2466.7	684.0	C
12-74	VIII	24	04	16	26.2	22.60S	68.70	101	5.3	6.06	6	3.62	2.6	680.8	187.8	B
13-74	VIII	27	06	24	6.5	38.29S	73.53	15	5.4	22.20	14	3.56	1.1	2466.7	692.5	C
14-74	IX	04	03	40	37.0	18.00S	71.30	46	4.0	3.41	65	3.44	2.2	381.7	111.0	B
15-74	IX	20	04	48	35.7	19.80S	69.35	116	4.6	3.46	20	3.51	2.1	401.6	114.3	C
16-75	I	01	22	31	5.0	38.33S	73.24	24	5.3	22.18	13	3.58	0.1	2464.5	688.0	C
17-75	I	02	21	35	18.1	32.33S	70.07	112	5.1	16.65	7	3.60	1.7	1853.4	514.8	C
18-75	I	04	15	02	41.5	32.46S	71.42	77	4.3	16.14	12	3.73	2.5	1794.9	480.5	C
19-75	III	05	20	29	41.1	20.52S	68.77	100	4.7	4.01	9	3.59	6.0	458.4	127.6	B
20-75	VI	10	23	00	46.0	22.53S	68.70	151	4.8	6.00	6	3.52	0.6	683.3	194.0	B
21-75	VI	14	10	40	20.3	32.52S	70.68	92	5.6	16.00	9	3.57	38.4	1780.1	497.7	B
22-75	VI	15	10	45	9.2	22.59S	68.40	100	---	6.03	3	3.67	2.7	678.6	184.8	C
23-75	VI	22	22	53	5.3	22.39S	68.30	137	5.1	5.83	2	3.68	8.4	662.1	179.9	B
24-75	VII	24	06	42	35.0	33.05S	70.15	102	4.6	16.55	7	3.41	0.3	1841.7	540.1	C
25-76	II	01	09	45	24.0	19.31S	70.49	33	---	3.58	40	3.50	8.2	399.1	114.0	C
26-76	VI	14	07	53	8.4	22.34S	70.10	33	---	6.07	18	3.50	5.4	675.2	192.6	C
27-76	VIII	04	04	17	27.8	25.24S	63.23	91	4.7	8.73	7	3.57	3.2	974.2	273.0	B
28-76	XII	02	00	09	11.4	20.64S	69.00	176	---	4.38	21	3.60	2.9	517.5	143.6	C
29-76	XII	02	07	31	16.4	38.51S	71.28	43	5.0	12.28	14	3.44	2.1	1365.1	396.6	C
30-77	I	25	06	11	2.9	25.59S	70.26	40	4.8	7.31	17	3.64	2.8	813.2	223.1	B
31-77	IX	03	20	12	30.5	22.59S	68.59	126	4.8	6.04	4	3.56	4.0	682.8	191.8	C
32-77	IX	17	22	39	51.0	20.30S	68.91	33	---	3.83	12	3.65	5.5	426.8	185.0	C
33-77	XI	24	17	57	29.0	21.01S	67.62	188	4.8	4.48	354	3.67	2.7	532.1	145.1	C
34-77	XI	27	05	51	22.9	20.03S	70.30	75	---	4.05	31	3.53	8.0	456.2	129.0	C
35-77	XI	28	09	13	39.0	20.28S	69.05	117	4.3	3.92	18	3.50	0.5	450.9	129.5	B
36-77	XI	27	22	50	42.4	21.65S	68.52	119	4.9	5.11	5	3.59	4.9	580.1	161.6	C
37-78	III	15	01	09	23.5	21.43S	69.20	172	---	4.49	12	3.60	5.0	527.7	146.5	B
38-78	VII	25	21	57	57.1	20.64S	69.00	148	---	4.18	12	3.32	1.1	487.4	146.9	C
39-79	IV	19	02	59	45.3	24.21S	67.28	190	---	7.67	354	3.51	0.8	842.2	240.7	C
40-79	IV	19	07	16	45.6	40.28S	71.90	33	4.5	23.89	9	-----	-----	2654.6	-----	---
41-79	VIII	30	09	15	50.2	21.21S	68.60	118	5.4	4.68	5	3.56	2.6	533.2	149.8	C

42-79	IX	02	14	29	38.5	20.66S	68.74	110	5.0	4.15	9	3.58	35.7	474.0	132.5	B	
43-80	XI	08	21	35	42.3	24.42S	67.67	98	5.3	7.86	357	3.59	6.6	878.8	244.7	B	
44-80	XI	25	06	04	2.9	34.83S	70.88	94	5.0	18.37	8	3.63	1.0	2043.2	563.1	C	
45-81	XII	08	22	05	45.0	22.32S	68.92	118	5.0	5.18	8	3.37	4.7	587.5	174.0	C	
46-81	XII	09	04	34	48.5	20.74S	69.37	114	4.5	4.35	16	3.46	4.0	496.6	143.5	C	
47-82	X	23	15	37	7.5	19.77S	69.48	143	---	3.46	22	3.64	4.4	610.2	112.7	B	
48-82	X	23	16	02	29.9	20.28S	70.50	34	4.8	1.36	31	3.67	3.2	485.6	132.3	C	
49-82	X	26	03	24	30.1	29.70S	71.40	63	5.6	13.44	14	3.65	2.6	1494.6	409.3	B	
50-83	III	05	22	10	29.4	29.32S	71.70	35	5.2	13.15	15	3.37	3.1	1401.5	425.5	C	
51-83	III	31	17	32	58.0	21.45S	68.81	167	5.1	4.94	8	3.52	5.3	73.7	162.9	B	
52-83	V	03	05	55	21.6	22.80S	68.12	144	4.6	6.32	8	3.47	7.1	716.8	206.4	C	
53-83	VII	05	16	48	6.6	24.03S	67.85	183	4.8	7.53	352	3.54	1.1	856.4	241.6	C	
54-83	VII	06	05	54	55.8	24.17S	67.09	189	4.4	7.65	353	3.64	0.5	849.1	233.2	C	
55-83	VII	07	04	50	37.8	20.69S	68.96	112	4.9	4.21	11	3.53	2.5	480.9	136.2	C	
56-83	VII	08	02	03	16.0	20.70S	69.50	82	5.2	3.76	21	3.68	0.8	425.7	115.7	C	
57-83	VII	15	23	41	9.5	23.10S	68.20	172	---	6.56	1	3.59	2.1	748.9	208.5	C	
58-83	VII	19	04	33	24.5	22.06S	68.49	126	4.7	5.51	4	3.62	4.8	625.0	172.5	C	
59-83	VII	19	20	21	20.8	24.23S	67.07	192	4.3	7.72	352	3.57	0.4	670.9	246.5	C	
60-83	VII	19	22	10	39.3	20.65S	69.50	158	---	4.30	10	3.60	1.4	523.2	133.7	C	
61-83	VII	20	05	40	52.5	22.80S	68.85	128	4.7	6.28	7	3.63	5.5	785.4	195.5	C	
62-83	VII	20	22	11	54.0	25.37S	70.20	69	---	9.01	13	3.60	1.6	1003.5	278.6	C	
63-83	VII	21	07	11	57.3	22.34S	68.54	119	5.5	5.79	4	3.60	4.7	654.2	181.7	C	
64-83	XII	01	16	29	44.0	26.33S	71.00	49	4.5	10.11	16	3.58	0.8	1124.4	314.2	C	
65-83	XII	03	21	45	1.3	24.21S	67.10	198	---	7.70	353	3.55	0.5	878.1	247.0	C	
66-83	XII	14	07	38	58.0	25.88S	71.20	35	4.3	9.73	18	3.51	2.1	1081.7	308.2	C	
67-83	XII	15	04	22	33.9	33.09S	70.15	103	5.9	16.59	7	3.56	2.6	1056.2	530.1	B	
68-83	XII	16	02	40	5.9	21.63S	68.42	123	4.9	5.08	3	3.58	7.7	577.5	161.0	B	
69-83	XII	23	06	45	31.5	19.42S	69.29	124	4.4	3.09	22	3.58	1.3	136.5	101.8	B	
70-83	XII	23	18	21	48.0	37.70S	73.50	7	5.4	21.69	14	3.57	2.0	2409.9	574.2	C	
71-83	XII	23	22	56	7.1	27.48S	71.41	33	5.0	11.31	16	3.53	2.1	1257.1	356.1	C	
72-83	XII	31	00	44	43.4	26.07S	70.18	65	5.2	9.69	12	3.59	2.9	1073.6	300.4	C	
73-86	I	26	07	48	22.0	27.00S	70.90	10	5.7	10.76	14	3.62	23.1	1195.7	330.0	B	
74-86	II	13	00	44	41.0	33.50S	72.10	51	4.8	17.27	13	3.47	1.0	1919.5	553.0	C	
75-86	II	13	00	56	56.9	21.21S	68.54	136	4.4	4.67	5	3.50	3.4	536.4	153.1	C	
76-86	III	21	13	55	41.0	30.70S	71.44	50	5.0	14.42	13	3.35	0.8	1602.9	317.2	C	
77-86	IV	09	01	26	52.2	19.77S	69.56	121	---	5.0	3.51	23	3.59	2.2	405.5	112.9	B
78-86	V	14	00	24	30.9	19.15S	69.40	121	---	2.89	26	3.68	1.3	343.1	93.1	B	
79-86	V	14	15	54	25.0	32.60S	71.90	46	5.0	16.35	13	3.60	1.9	1017.2	504.0	C	
80-86	V	19	12	36	29.4	28.36S	69.10	102	5.1	11.81	5	3.65	1.6	1315.2	350.6	C	
81-86	VI	05	03	42	53.4	23.10S	68.97	111	4.7	6.66	7	3.65	5.3	748.3	204.6	C	
82-86	VI	05	15	35	13.2	34.40S	70.90	91	3.1	18.00	9	3.51	0.2	2567.0	570.8	C	
83-86	VI	24	12	25	28.4	30.70S	71.70	51	5.4	14.50	14	3.69	1.3	1611.9	426.6	C	
84-86	VII	28	03	29	56.0	33.30S	72.00	41	4.7	17.05	13	3.68	6.3	1894.7	522.0	C	
85-86	VII	28	20	29	2.7	33.30S	71.90	41	5.1	17.00	13	3.56	0.5	1539.3	516.2	C	
86-86	VII	28	21	11	19.0	33.36S	72.10	41	5.0	17.07	13	3.74	1.7	1237.1	567.0	C	
87-86	VII	29	03	20	25.0	23.70S	71.00	10	---	7.62	21	3.71	2.0	846.7	228.0	C	
88-86	VII	29	09	24	56.1	20.46S	68.62	152	4.4	3.94	7	3.69	6.9	463.4	125.4	B	
89-86	XI	29	20	11	20.4	23.25S	69.38	88	5.2	6.79	10	3.46	3.9	759.4	219.6	B	
90-86	XI	30	08	06	53.2	20.24S	70.82	33	---	4.51	35	3.49	5.1	502.8	143.7	B	

BRASIL

1-64	II	13	11	21	44.3	18.05S	56.75	16	5.5	10.95	276	3.66	11.8	1216.8	331.9	A
2-64	VI	19	03	56	22.4	2.05N	59.30	65	4.5	20.84	204	3.63	2.6	2316.4	368.1	A
3-75	I	23	11	40	24.0	10.70N	62.10	33	4.1	7.76	222	3.44	2.6	862.8	251.0	A
4-75	V	18	05	42	18.0	2.50S	58.10	33	4.4	20.80	204	3.63	1.3	2311.3	637.0	C
5-76	II	22	03	24	46.0	0.03N	59.00	10	4.8	10.96	200	3.55	3.1	2106.7	593.4	A
6-77	VIII	02	17	45	52.5	0.03S	50.05	33	4.6	24.19	226	3.60	4.8	2687.9	746.5	A
7-80	XI	12	21	23	4.6	8.07S	50.24	33	4.8	19.43	242	3.73	4.7	2159.1	605.4	A
8-80	XI	20	03	29	41.8	4.50S	38.30	00	5.2	31.63	245	3.57	6.4	3514.4	983.2	A
9-82	VIII	05	06	21	42.9	3.58S	62.14	23	5.5	14.14	204	3.58	12.0	1571.3	439.1	A
10-86	XI	30	05	19	48.3	5.50S	35.70	5	4.9	33.52	248	3.58	2.2	3724.4	1040.3	A

PERU-BRASIL

1-74	III	21	19	28	23.3	4.60S	73.50	47	4.8	13.00	156	3.52	10.9	1445.2	410.0	B
2-74	VI	12	18	20	32.0	3.97S	76.70	149	4.5	15.07	147	3.59	3.6	1681.0	468.0	C
3-74	VIII	09	04	53	30.1	8.48S	74.37	149	5.6	10.08	143	3.58	1.8	1129.9	315.9	A
4-74	VIII	15	23	46	47.5	15.70S	74.72	82	4.7	6.42	98	3.62	9.6	718.0	198.5	C
5-74	VIII	17	21	22	4.0	13.50S	74.30	98	4.3	6.67	117	3.30	9.6	747.5	227.0	B
6-75	I	02	11	31	21.1	15.06S	73.05	33	---	4.99	108	3.58	2.5	555.4	154.9	C
7-75	I	23	10	44	37.3	15.00S	70.89	196	4.1	2.90	113	3.50	0.6	377.1	107.7	C
8-75	V	18	05	10	55.8	16.90S	70.98	71	5.1	12.80	125	3.45	6.5	1424.0	412.2	C
9-75	VI	01	02	44	54.3	14.16S	75.61	38	4.8	7.62	109	3.62	4.0	847.5	233.7	B
10-75	VI	05	03	32	45.6	13.70S	76.11	61	5.5	8.24	111	3.54	4.6	917.6	258.9	B
11-75	VI	15	17	59	16.9	8.45S	74.17	180	4.6	9.98	144	3.59	2.3	1123.4	313.1	B
12-75	VII	23	16	57	34.0	15.50S	75.30	60	---	6.97	99	3.51	0.4	776.7	221.0	C
13-75	VIII	23	17	54	23.5	14.24S	75.66	68	---	7.64	108	3.54	7.8	851.6	240.5	B
14-75	VIII	24	15	30	7.0	5.48N	77.26	21	5.1	14.19	141	3.53	1.8	1576.8	446.7	B
15-75	IX	02	06	09	50.8	17.87S	69.36	166	---	1.79	42	3.54	1.6	259.1	73.2	C
16-76	II	01	15	58	22.0	7.58S	80.45	59	5.2	15.00	128	3.56	6.2	1667.7	468.0	C
17-76	V	07	05	10	50.0	8.65S	74.71	141	5.3	10.15	141	3.64	4.3	1136.5	312.5	A
18-76	VII	13	09	21	45.9	7.44S	73.93	33	4.9	10.68	148	3.51	0.5	1187.1	338.0	B
19-76	VIII	24	00	14	28.3	8.28S	74.44	90	4.7	10.27	144	3.56	3.1	1144.6	321.7	B
20-76	XII	02	13	34	19.0	13.50S	68.10	33	---	2.99	179	3.59	0.8	333.6	93.0	C
21-77	II	01	14	37	57.2	8.88S	74.57	161	4.7	9.06	141	3.57	3.4	1107.3	309.8	B
22-77	II	24	07	11	51.3	8.50S	74.55	139	4.7	10.17	142	3.63	1.2	1138.5	313.6	B
23-77	III	13	21	14	32.3	8.05S	74.41	161	5.2	10.45	144	3.62	6.1	1172.1	323.7	A
24-77	VIII	20	18	53	58.6	8.68S	74.32	187	5.0	9.89	143	3.61	1.8	1114.7	308.6	B
25-78	I	18	05	33	58.2	8.74S	74.35	169	4.9	9.06	142	3.53	5.0	1108.5	313.8	A
26-78	V	26	06	07	3.0	6.70S	75.00	75	4.0	11.60	140	3.47	5.1	1291.1	372.1	B
27-78	VI	09	04	00	39.6	7.75S	73.77	33	4.5	10.34	140	3.65	1.5	1149.3	314.0	C
28-78	VI	09	07	35	0.0	7.81S	74.59	164	4.9	10.75	144	3.63	6.9	1205.6	332.1	A
29-79	I	21	12	33	49.2	8.74S	74.94	149	4.8	10.22	140	3.72	10.5	1145.3	9	B
30-79	IV	18	19	36	31.0	7.72S	74.54	164	4.6	10.79	145	3.68	3.0	1210.1		A
31-79	XI	18	13	50	45.3	6.30S	74.30	33	4.9	11.88	150	3.40	0.6	132"		
32-79	XII	12	17	30	18.0	7.90S	72.20	98	4.8	9.47	155	3.53	1.3	1051		

33-80	I	31	00	24	35.6	7.69S	74.54	175	4.7	10.81	145	3.62	2.3	1213.8	335.4	B
34-80	III	06	09	46	17.7	6.17S	71.16	67	4.8	10.47	164	3.66	8.4	1165.2	318.4	A
35-80	III	08	20	50	4.8	8.44S	74.16	167	4.8	9.98	144	3.52	5.3	1121.4	318.6	A
36-80	IV	04	06	25	26.9	7.97S	74.46	169	4.9	10.54	144	3.61	1.5	1183.2	327.7	A
37-80	IV	09	10	00	19.0	9.88S	75.40	111	4.8	9.71	134	3.51	14.2	1084.6	309.0	A
38-80	V	16	04	52	54.8	8.02S	73.74	198	5.2	10.10	177	3.36	7.0	1139.5	339.1	A
39-80	VI	16	21	47	32.8	8.77S	77.75	152	4.8	10.00	141	3.62	1.3	1130.3	312.2	C
40-80	X	10	19	10	3.1	8.45S	74.52	152	4.8	10.19	143	3.59	3.3	1142.4	318.2	B
41-81	IV	13	21	32	52.5	8.87S	72.95	55	5.0	8.79	149	3.56	13.5	978.2	274.8	A
42-81	IV	25	10	42	42.1	8.81S	74.52	158	4.8	9.91	141	3.61	1.9	1112.4	308.1	C
43-81	IV	27	09	23	20.5	9.91S	75.65	41	4.5	9.84	133	3.57	5.4	1094.1	306.5	B
44-81	VI	24	07	54	22.0	15.00S	81.10	33	4.4	17.17	133	3.41	1.5	1908.0	560.0	C
45-81	VI	24	17	01	35.5	15.67S	74.74	41	4.6	6.26	99	3.58	3.3	696.7	194.6	C
46-81	VI	28	12	56	20.0	7.80S	74.33	131	4.7	10.60	145	3.62	5.7	1185.0	327.0	C
47-81	VII	13	19	47	37.0	6.81S	76.61	63	4.9	12.76	140	3.42	6.5	1419.2	415.0	C
48-81	VIII	16	21	46	54.2	8.83S	74.67	153	4.9	10.14	141	3.62	5.3	1137.0	314.1	A
49-81	VIII	16	23	11	21.9	8.63S	74.52	151	4.8	10.05	142	3.59	5.7	1126.8	313.9	B
50-81	IX	20	02	54	4.7	8.31S	74.38	169	4.6	10.21	144	3.55	3.7	1146.9	323.3	B
51-81	XI	11	07	52	43.5	8.88S	72.90	48	4.8	8.97	148	3.57	12.5	997.8	279.5	A
52-81	XI	25	17	43	35.1	8.48S	74.24	165	4.7	10.00	144	3.50	2.4	1123.3	320.9	C
53-81	XII	08	16	15	22.0	8.80S	73.10	62	5.1	9.14	148	3.54	6.1	1017.4	287.4	A
54-82	I	05	05	14	36.7	8.13S	74.37	169	4.8	10.35	144	3.42	3.8	1162.3	339.3	C
55-82	VIII	12	08	27	28.0	6.70S	75.00	33	4.7	12.30	143	3.47	6.4	1367.1	394.0	B
56-82	VIII	15	06	11	16.8	10.12S	76.47	117	5.5	10.34	129	3.52	4.6	1154.8	328.2	A
57-83	I	27	04	50	21.0	9.60S	74.42	33	---	9.24	133	3.55	2.1	1027.2	289.5	C
58-83	I	31	12	27	20.0	8.34S	74.17	115	4.8	10.07	145	3.37	3.3	1124.7	233.0	B
59-83	II	10	14	29	33.0	9.40S	74.50	88	5.0	9.41	139	3.56	1.2	1049.2	295.0	C
60-83	II	21	07	32	5.5	6.45S	73.30	33	---	11.24	154	3.62	1.6	1249.3	344.5	C
61-83	II	27	25	05	19.0	13.50S	76.00	33	5.4	8.90	111	3.56	2.3	989.4	279.0	B
62-83	III	13	19	12	15.7	8.35S	74.40	164	4.7	10.20	143	3.59	11.1	1145.1	318.3	A
63-83	III	20	01	56	38.6	10.48S	74.80	18	5.4	8.90	133	3.55	12.8	989.0	278.4	A
64-83	III	21	01	02	51.0	3.74S	78.30	46	4.5	16.16	143	3.46	1.7	1796.1	519.0	C
65-83	IV	15	10	00	20.0	5.99S	75.65	113	5.6	12.60	145	3.59	12.4	1404.5	391.2	A
66-83	IV	24	22	14	53.5	7.27S	74.20	119	4.5	10.97	148	3.67	1.6	1224.7	333.5	C
67-83	V	21	02	54	33.0	9.20S	76.07	187	4.5	10.63	134	3.61	1.5	1195.8	331.2	C
68-83	V	21	02	27	56.0	10.57S	74.78	10	5.2	8.79	133	3.63	8.2	976.7	268.6	B
69-83	V	21	20	05	13.0	10.59S	74.79	10	5.2	8.79	133	3.62	6.4	976.6	269.8	A
70-83	VI	21	09	23	55.2	8.56S	74.38	152	5.1	10.02	143	3.58	6.1	1123.6	313.9	A
71-83	VII	15	20	16	54.1	17.63S	71.57	70	4.8	3.50	72	3.50	3.7	395.1	112.9	C
72-83	VII	21	02	33	29.0	8.58S	74.71	159	4.6	10.20	141	3.57	9.8	1144.4	320.6	B
73-83	IX	24	00	43	40.9	8.40S	74.22	176	4.7	10.05	144	3.60	2.0	1130.9	314.1	A
74-83	XI	25	22	56	25.0	3.77S	76.30	136	4.8	15.02	148	3.44	4.8	1670.0	485.0	A
75-83	XII	03	18	39	51.0	17.61S	69.51	178	---	1.72	52	3.61	1.5	261.2	72.3	C
76-83	XII	05	07	00	31.0	16.80S	72.50	92	---	4.23	86	3.60	2.8	478.9	133.0	C
77-83	XII	13	19	12	16.7	8.35S	74.40	164	4.7	10.20	143	3.57	1.4	1145.1	320.7	C
78-83	XII	16	09	11	52.7	10.15S	75.01	48	4.9	9.24	134	3.52	12.4	1027.8	291.3	A
79-83	XII	17	17	44	19.0	8.15S	74.55	149	4.6	10.22	143	3.51	2.4	1145.3	326.3	B
80-83	XII	19	06	26	3.5	15.42S	74.58	71	5.2	6.33	101	3.59	3.6	706.9	196.5	A
81-83	XII	25	05	32	40.9	5.09S	73.42	37	5.2	12.51	156	3.58	4.2	1390.5	388.8	A
82-84	I	09	10	35	20.0	6.05S	74.25	23	5.1	12.03	150	3.46	1.6	1336.0	386.3	A
83-84	VI	26	16	47	36.5	8.69S	74.45	163	5.0	9.96	142	3.57	4.5	1116.6	313.5	B
84-84	IX	30	21	31	15.7	8.68S	74.20	156	5.2	9.87	143	3.56	3.3	1107.7	311.3	A

85-86	I	10	11	18	5.8	15.90S	74.70	73	4.6	6.34	97	3.49	2.1	708.2	203.0	C
86-86	I	11	19	42	23.2	9.51S	77.50	51	5.4	11.51	128	3.49	3.8	1280.0	366.0	B
87-86	I	17	04	15	0.0	10.69S	78.44	46	5.5	11.61	121	3.62	4.3	1290.8	356.0	B
88-86	III	09	16	47	52.2	8.10S	80.11	33	4.8	14.45	127	3.61	1.7	1605.9	444.8	C
89-86	III	18	10	02	30.8	16.00S	72.30	126	4.7	4.08	98	3.56	0.7	470.5	132.2	C
90-86	IV	02	05	49	30.4	4.10S	80.80	33	4.7	17.55	135	3.58	4.7	1950.2	544.7	C
91-86	IV	08	18	02	44.6	7.90S	73.90	173	5.8	10.22	147	3.64	2.7	1140.6	315.4	A
92-86	IV	23	20	27	12.7	3.91S	81.02	48	5.4	17.85	136	3.69	1.0	1983.8	534.3	B
93-86	IV	28	13	43	12.0	15.00S	75.50	57	4.8	7.28	103	3.55	5.7	810.9	228.2	B
94-86	V	21	03	56	56.9	3.44S	76.70	126	4.9	15.51	148	3.43	5.3	1727.9	504.1	B
95-86	VI	27	21	48	55.7	16.19S	73.56	85	5.0	5.25	94	3.54	4.7	589.5	166.5	B
96-86	VII	14	06	34	44.5	9.60S	72.43	33	4.9	8.03	149	3.56	1.1	892.8	249.5	C
97-86	VII	17	18	11	22.9	9.20S	79.90	33	4.9	13.67	124	3.65	1.7	1519.2	416.1	C
98-86	VII	21	00	40	46.8	14.10S	76.20	43	4.5	8.18	108	3.51	1.0	509.9	259.2	C

ECUADOR

1-74	VIII	01	23	36	52.0	0.84N	79.40	79	4.7	20.57	148	3.57	0.8	2286.9	641.0	C
2-74	VIII	17	08	19	45.0	1.64S	81.21	19	4.7	19.64	140	3.50	1.6	2182.3	623.0	C
3-80	XI	09	13	02	57.2	1.62S	80.53	33	4.0	21.82	146	3.58	1.8	2424.6	677.8	C
4-80	XI	29	06	33	53.2	1.42N	84.58	33	4.5	24.15	138	----	---	2683.5		
5-81	IV	17	06	13	12.8	1.35N	81.01	33	4.2	21.07	145	3.62	1.5	2430.2	671.2	C
6-81	IV	22	09	47	21.0	2.82S	78.70	33	4.4	17.18	143	3.54	0.9	1909.2	539.0	C
7-81	V	06	21	34	49.4	2.07S	80.99	36	5.4	19.17	139	3.59	5.3	2130.3	592.6	B
8-81	V	06	21	36	7.2	1.95S	80.99	36	5.8	19.26	140	3.62	1.5	2140.3	590.8	C
9-81	V	13	03	58	12.0	1.29S	78.60	33	4.6	18.34	146	3.37	4.9	2038.0	604.0	B
10-81	V	26	04	55	30.6	3.03S	79.19	102	5.1	17.29	142	3.52	2.4	1923.8	546.4	C
11-81	VI	24	13	25	37.0	2.50S	79.09	107	4.5	17.65	143	3.60	1.3	1964.0	546.0	C
12-83	VII	21	06	46	4.9	1.33S	80.99	54	5.0	19.74	141	3.55	1.3	2194.0	617.6	C
13-83	XII	21	18	36	56.2	0.30N	79.98	47	5.2	20.45	146	3.61	1.2	2272.7	628.8	B
14-86	I	19	08	03	29.0	0.61N	79.70	50	4.9	20.65	146	3.61	0.5	2295.0	634.5	C
15-86	I	28	06	51	46.6	1.84S	77.46	175	5.2	17.27	148	3.67	0.9	1926.8	524.0	B
16-86	II	07	02	47	52.0	1.31N	85.21	49	4.6	24.48	137	-----	-----	2720.4	-----	
17-86	III	28	21	19	23.4	1.52S	78.06	167	4.8	17.86	147	3.68	0.3	1991.4	540.8	B
18-86	IV	18	02	03	54.0	2.64S	78.50	119	4.2	17.16	144	3.62	1.1	1910.3	527.7	C
19-86	V	24	17	01	17.7	1.41S	77.75	182	4.6	17.78	148	3.57	0.7	1983.9	556.3	C
20-86	VI	27	21	07	57.0	0.05N	77.40	38	4.3	18.85	151	3.60	1.1	2094.8	581.9	C

Characteristics of Lg

Short period waves of apparent velocity around 3.5 km/s, transversely polarized are considered here (exclusive of faster L₁ and slower R_g, though other authors consider those together with L_g).

In South America L_g originates in most of earthquakes not deeper than 200 km and are transmitted by continental crust, mostly by ancient stable zones.

The velocity for the beginning of the waves in most cases may not be measured precisely, because of its emerging character. We considered the apparent group velocity, that is to say, the ratio of hypocentral distance to the time between origin and initial L_g recording (without any distinction of time for waves before being confined within a guide layer and the time travel along that layer). That apparent velocity was found to change between 3.44 and 3.69 km/s (coincident with the S-wave velocity within the crust).




Fig. 1 .- L_g apparent velocity (km/s).

The amplitude is a function of magnitude, epicentral distance and local conditions both of generation and transmission. To

normalize a measure avoiding any effects of distance and magnitude, we calculate Lg amplitude/ P amplitude; this ratio changes between 0 and 17, with an exceptional case of 38.

Bath (1954), with the same goal of normalization, suggests a relative measure of wave energy that we shall name here by the symbol e . He acknowledges some inconsistencies of results, as we acknowledge for Lg/P ; so we shall use both ways of normalization.




Fig. 2 .- Normalized energy vs. epicentral distance.

According to the transmission efficiency and the aspect of Lg (fig. 3), we distinguish:

- Type A: Clear waves, well developed, beginning almost always impulsive.
- Type B: Clear waves interfered by low frequency waves, emergent beginning (exceptionally impulsive), starting with medium amplitude to decrease then gradually.
- Type C: Waves not clear, disturbed by noise, emergent or really doubtful beginning, small but rather constant amplitude.

Often Lg splits into several phases, that means several arrivals at different velocity and amplitude but coincident for the other aspects (until the moment it is not possible to decide if they have traveled along different layers, or the whole crust




Fig. 3a .- Type A. June 14, 1984; Venezuela, E-W component .



Fig. 3b .- Type B. November 26, 1984; Colombia, E-W component .




Fig. 3c .- Type C. November 10, 1980; Argentina, E-W component .

is the guide for Lg1 and the most superficial layer guides Lg2).

The lack of uniformity in wave relevance is the main characteristic of South America, recommending by itself to forget any possibility of considering it instrumental for magnitude measurements.

Let us consider different measures for the different seismic regions:

Venezuela, Trinidad and Southern Caribbean

Types A and B are predominant. Lg lasts about two minutes, generally disappearing below Love and Rayleigh waves. The mean velocity amounts $3.58 \pm .003$ km/s. Several arrivals, even four, are common.

Mean amplitude Lg/P is $4.5 \pm .395$, being differences of regional character; e is $4.45 \pm .120$.

In the eastern part of that region focal depth may reach 144 km, that means the Caribbean plate subduction. Western earthquakes around Lake Maracaibo all are shallower than 75 km.

Colombia

The three types, A, B, C, are found in Colombia. Mean apparent velocity is $3.57 \pm .006$ km/s. Amplitude changes so much that the mean $2.77 \pm .294$ is of little interest. For earthquakes deeper than normal Lg lasts two and a half minutes.

We need to distinguish three zones: The Lg from the West Coast and Western Cordillera is much attenuated at LPB and type C is predominant. For the Central Cordillera type B predominates. In the most eastern stripe (subandean to flat lands) type A prevails and several phases are apparent.

The seismic nest of Bucaramanga is a point of special interest: earthquakes occur at 125 to 175 km depth (only one exception of depth 59 km was found), meanwhile in the rest of Colombia only four other earthquakes occurred deeper than 81 km.

Other phases: S only was visible in 36 cases among 52; Rg only in several surface earthquakes which had Lg type A; in general other phases are much attenuated.

Ecuador

Type C is predominant. Small amplitude $1.52 \pm .245$ as an average, but larger e = $3.89 \pm .138$. Several distinct phases of Lg, specially for intermediate depth foci, the faster one with a mean velocity $3.58 \pm .005$ km/s.

Earthquakes originate partly near the coast at a depth less than 55 km; the others at the subduction zone are deeper, reaching 182 km.

Rg hardly is visible; several phases in between P and Lg are more relevant than for Venezuela and Colombia earthquakes.

Brazil

Deep earthquakes from Western Brazil were not taken into account after realizing that they do not generate any Lg. The other Brazilian earthquakes occur all at the crust (unless one calculation at 63 km be correct).

The path of Lg is mostly through Brazil and Guyana Shields, with an apparent velocity $3.58 \pm .007$ km/s; so Lg is well developed, type A, with a mean amplitude Lg/P $5.2 \pm .245$ and e $4.53 \pm .188$.

P and other seismic phases are clear.

Peru and Peru-Brazil Border

Type A predominates, independently of distance. Focal depth between 0 and 198 km. Superposition of Love and Rayleigh waves disturbs the final Lg. Mean apparent velocity is $3.56 \pm .003$ km/s; mean $e = 4.9 \pm .109$. Approximate duration of Lg one minute.

In most cases two or more phases are clear within the Lg.

Chile

North Chile earthquakes occur at less than 10 degrees of distance to LPB, making difficult or also uncertain Lg analysis.

Type C predominates for any depth (ranging from 4 to 198 km). Apparent velocity may change from 3.35 to 3.69 km/s. As a general rule wave period is longer than for other azimuths, what is important to be remarked, since for this range of wave period instrumental gain is low, so that at a first glance Lg amplitude is minimum and, when measuring it, we find Lg/P $4.75 \pm .255$; e $3.21 \pm .124$ but P attenuation is strong, what allows a calculation larger for Lg/P. Lg always is a simple phase, meanwhile a double P appears for intermediate depth earthquakes (not for surface earthquakes).

Argentina

Most of the earthquakes are superficial, but several at the Nazca plate subduction are deeper, reaching 198 km, all being of type C. Lg apparent velocity is low, averaging $3.56 \pm .005$ km/s. Lg/P is $2.4 \pm .225$; e is $3.1 \pm .07$. Three to five seconds after first P arrival, another phase is relevant; on the contrary Lg is always simple. Length of period is rather large (the same as remarked for Chilean earthquakes).

Lg both for Argentina and Chile has a short duration or it does not appear at all; often it emerges on the S coda. It is not clear why some earthquakes produce Lg and other with identical apparent circumstances do not.




Fig. 4 .- Comparison of Lg types of recording in LPB, according to origin regions.




Fig. 6 .- Normalized wave energy and Lg/P amplitude.

Lg according to path characteristics

Amplitude and type of Lg depends more on the wave path than on the origin conditions.

Propagation of Lg along ancient stable structures is really efficient; at the other end, 200 km of oceanic path extinguishes completely Lg. The complex cordilleran structures have been considered inefficient paths; nonetheless the analysis of LPB records only gives a partial confirmation. Let us see this matter with more detail.

The earthquakes originated in Brazil and Venezuela have most of their path across Brazilian and Guyana Shields and they show large Lg at LPB.

Records of Chilean and Argentinian earthquakes have smaller or no Lg, being their path along cordilleran structures (but our measures give stronger Lg, mainly for longer periods, because also P is small).

Western Colombia earthquakes need to undercross the Cauca Graben. This, according to some authors, means a line of contact of an ancient subduction; others interpret it as a contact of obduction; any way it is considered a plate discontinuity which may difficult Lg crossing. Moreover magmatic chambers may constitute obstacles to Lg. Earthquakes from the eastern side of Cauca Graben produce a clearer Lg in La Paz. Again foci in the most eastern seismogenic Colombia have a relevant Lg in LPB records.

The path from Peru and Peru-Brazil Border proves to be of medium efficiency: Lg waves are rather large, with several arrivals, but last only a short time. Such complex path merits a deeper analysis.

Many intermediate depth earthquakes produce remarkable Lg in South America, against the hypothesis that Lg originates always at surficial layers; probably the efficiency in Lg generation depends on the strike of subduction.

Geological crustal profiles for different paths across South America may be seen in Alcócer (1989), Ayala (1989), Couch et al. (1981), Meissner et al. (1976).

PART II. Lg RECORDED IN SEVERAL SOUTH AMERICAN STATIONS

After considering with detail Lg propagated through South America, recorded at LPB station, now it is much easier to revise Lg in other stations belonging to the World-Wide Seismograph System Network, and to show numerical results of our analysis. We have tried to make that analysis the most objective possible, studying the same earthquakes, by using stations similar to LPB and applying the same criteria as in part I. See table II (similar to table I).

TABLE II

St	DATE	H	LAT	LONG	W	P	ab	D	Az	V	Lg/P	D	t	Amp	T	e	CH
	y m J h m s		(o)	(c)	(ka)			(o)	(o)	(km/s)	(km)	(s)	(all)	(s)			

COLOMBIA

LPB 73	VIII 00 02 58 36.2	7.02N	72.11	39	5.0	23.73	170	3.56	0.3	2636.9	730.0	649.0	1.5	5.39	A		
ANT						30.60	177	3.65	1.1	3400.3	930.0	18.0	1.4	2.54	C		
ARE						23.34	178	3.49	2.3	2593.6	744.6	68.6	1.3	3.27	B		
NNA						19.46	194	3.56	1.5	2162.5	607.3	77.5	1.2	3.59	C		
BDG						3.07	219	3.66	2.0	343.3	93.0	744.0	1.0	4.33	C		

LPB 80	XI 18 16 34 38.5	6.82N	72.92	171	4.9	23.68	168	3.53	1.0	2635.6	746.5	30.0	0.8	3.55	B		
ARE						23.20	176	3.62	1.1	2583.4	711.5	14.0	1.2	2.41	C		
CAR						6.97	58	3.66	1.9	793.1	216.5	240.0	1.0	4.19	C		

LPB 81	VIII 05 12 58 28.0	3.98N	76.39	62	5.1	21.92	158	3.56	1.9	2436.3	685.0	80.0	1.0	3.68	A		
ARE						20.83	176	3.43	4.0	2315.3	675.7	166.0	1.1	3.98	C		
NNA						15.82	182	3.50	2.7	1750.8	502.0	107.0	1.0	3.18	C		
SJG						17.30	35	3.58	1.0	1923.2	537.0	114.0	1.5	3.46	C		
TRN						21.20	150	3.50	1.2	2434.1	521.2	137.5	1.5	3.78	C		

LPB 82	VIII 15 07 26 28.3	6.74N	73.01	172	4.9	23.50	207	3.54	3.3	2616.7	730.7	99.0	1.2	4.12	C		
NNA						8.73	191	3.57	1.1	970.5	271.7	40.0	0.8	1.90	C		
PEL						39.70	177	3.67	1.2	4411.3	1201.7	8.4	0.5	3.02	C		
TRN						12.12	70	3.55	0.5	1346.6	331.9	63.0	0.9	3.49	C		

LPB 83	VIII 29 08 24 24.7	6.80N	73.00	169	5.0	23.70	168	3.65	4.4	2638.5	721.3	228.0	1.3	4.60	A		
ARE						23.14	176	3.53	5.8	2576.2	729.8	215.0	1.8	4.25	C		
NNA						19.00	3	3.44	1.6	2117.8	615.3	133.0	1.8	3.69	C		
SJG						13.10	30	3.64	1.3	1465.3	492.7	46.0	1.1	2.92	C		

VENEZUELA

LPB 76	XII 21 04 32 31.0	8.80N	61.70	40	4.7	25.92	194	3.68	1.9	2880.0	783.0	146.0	1.1	4.98	A		
ARE						26.88	201	3.59	3.0	2986.9	831.1	82.5	1.5	4.24	B		
NNA						25.24	216	3.67	4.5	2838.0	774.0	74.2	1.4	4.15	B		
TRN		NO Lg				1.90	8			214.9							

LPB 77	XII 17 23 25 10.5 10.90N 65.50	14 4.6 27.38 186 3.54	9.5 3042.2 859.4 152.4 1.3 5.10 A
NNA		25.39 267 3.60	3.9 2821.1 765.2 67.6 1.8 4.84 B
TRN		3.99 93 3.66	3.6 443.5 121.2 650.0 1.0 5.24 C

LPB 79	VII 17 00 49 28.8 10.25N 62.24	40 4.6 27.00 193 3.54	6.6 3000.2 847.2 247.5 1.5 5.38 A
NNA		26.43 214 3.48	2.2 2935.9 843.8 178.0 1.8 4.92 B
SJG		8.69 335 3.56	2.9 966.4 271.2 117.5 1.6 3.35 C
TRN	MO Lg	0.91 64	108.7

ARGENTINA

LPB 74	VIII 17 22 12 45.0 22.00S 64.41	47 4.7 7.21 331 3.53	3.8 802.5 221.1 54.2 1.2 3.13 B
ANT		5.58 260 3.51	2.1 621.8 177.8 503.0 1.5 4.70 B
ARE		9.23 313 3.68	1.4 1026.6 293.8 47.5 1.1 3.24 B
BOG		28.92 340 3.58	0.8 3213.3 890.1 126.0 1.4 4.72 C
NNA		15.05 310 3.60	1.4 1703.9 495.2 36.0 1.4 3.18 C
QUI		26.38 327 3.66	1.2 2931.5 801.0 106.4 0.6 5.24 B

LPB 74	IX 03 20 22 26.5 25.89S 67.64	45 4.8 9.30 357 3.40	6.8 1034.3 297.5 90.0 1.4 3.42 C
ARE		10.05 338 3.51	4.1 1117.6 318.0 201.0 2.0 4.15 B
ANT		3.34 313 3.64	2.5 373.8 102.5 45.2 0.6 2.91 C

LPB 76	V 04 02 07 11.3 27.30S 65.80	58 4.7 10.96 348 3.39	3.2 1219.1 359.6 75.0 1.4 3.55 C
ANT		5.53 310 3.59	8.9 617.2 171.8 289.0 1.1 4.48 A
ARE		11.23 340 3.35	2.4 1249.1 372.8 24.0 1.0 2.87 C
NNA		18.46 324 3.33	2.7 2051.9 616.7 70.2 2.0 3.56 C
PEL		7.41 213 3.55	3 825.4 232.7 585.0 1.6 4.85 A

LPB 77	I 25 00 50 49.0 33.59S 68.27	20 5.4 16.98 1 3.54	5.9 1806.7 533.8 239.2 1.5 3.55 B
ANT		10.03 349 3.58	4.0 1114.6 311.0 112.5 1.1 2.80 C
ARE		17.30 350 3.55	1.1 1922.3 541.8 330.0 1.5 3.04 B
BOG		38.39 351 3.66	0.2 4265.5 1163.5 55.2 0.9 3.30 C
LPA		8.18 100 3.63	1.7 909.1 250.0 1150.0 1.1 4.60 A
NNA		22.80 338 3.61	0.2 2542.3 704.0 67.5 1.7 2.57 C

LPB 77	XI 26 13 52 21.5 31.34S 67.49	33 5.0 14.75 358 3.65	0.7 1639.2 448.5 34.0 0.9 2.91 C
NNA		21.11 334 3.64	1.7 2345.8 636.0 52.0 1.4 3.16 C
PEL		3.25 236 3.62	1.6 362.6 100.0 364.0 0.6 4.34 C

LPB 80	V 25 21 46 11.8 31.33S 68.00 43 5.0 14.73 360 3.53 1.5 1637.2 463.2 22.5 0.8 2.66 C
ANT	7.89 344 3.62 5.3 876.6 263.8 89.9 1.2 3.08 B
ARE	15.10 168 3.66 1.8 1678.3 458.2 16.0 0.8 2.38 C
BOG	36.20 350 3.66 1.7 4022.4 1098.2 24.0 0.8 3.43 C
CAR	41.60 20 3.60 1.8 4622.4 1283.2 15.3 0.9 3.06 C

LPB 83	XII 04 02 06 35.4 31.77S 69.42 113 5.2 15.21 5 3.51 3.7 1693.7 482.5 90.0 1.4 3.04 B
ANT	8.08 354 3.52 4.0 904.8 256.8 100.0 1.0 2.99 C
CAR	42.00 10 3.56 2.7 4668.0 1308.0 85.2 1.5 3.75 B
NNA	19.00 345 3.51 0.7 2114.1 900.9 35.0 1.1 2.59 C

CHILE

LPB 72	V 15 09 12 56.6 29.70S 71.30 49 4.9 13.40 13 3.52 5.9 1489.7 423.4 112.0 1.4 3.68 C
ARE	13.15 359 3.69 2.8 1461.9 395.4 234.0 1.0 4.58 B
PEL	3.50 172 3.61 4.5 391.9 100.4 135.1 0.7 3.57 C

LPB 72	V 28 07 28 13.5 27.70S 71.30 53 4.8 11.47 15 3.66 16.3 1275.5 348.5 213.0 1.7 4.14 B
ARE	11.16 359 3.56 4.3 1240.7 348.8 256.0 1.0 4.74 B
BOG	32.22 355 3.58 1.1 3580.2 1000.2 42.0 0.6 4.42 B
CAR	38.18 7 3.67 1.3 4242.4 1155.5 146.0 1.8 4.70 B
LPA	13.49 126 3.69 7.7 1499.4 406.5 864.0 1.4 5.64 B

LPB 75	VI 14 10 40 20.3 32.52S 70.68 92 5.6 16.00 9 3.57 38.4 1780.1 497.7 420.0 1.8 3.50 B
ANT	8.79 2 3.62 17.0 980.9 269.7 992.5 1.1 4.65 B
ARE	16.00 357 3.51 0.3 1780.1 516.7 110.5 1.0 2.80 B
BOG	37.07 354 3.64 1.3 4119.9 1129.7 160.0 1.0 3.82 C
LPA	10.89 106 3.56 2.0 1213.5 397.7 367.2 0.9 3.70 B

LPB 82	X 26 03 24 30.1 29.70S 71.40 63 5.6 13.44 14 3.65 2.6 1494.6 409.9 237.5 1.1 3.20 B
ANT	6.03 8 3.54 2.4 672.9 189.9 39.2 0.7 1.58 B
BOG	34.22 355 3.62 0.1 3802.7 1049.9 40.0 1.0 2.55 C
CAR	40.20 7 3.60 1.3 4466.6 231.7 100.0 1.0 3.48 C
PEL	3.40 171 3.63 0.5 391.8 107.9 15.0 1.0 1.00 C

LPB 83	VII 05 16 48 6.6 24.03S 67.05 103 4.8 7.53 352 3.54 1.1 856.4 241.6 42.5 3.9 3.01 C
ARE	8.61 330 3.55 3.1 974.0 274.4 57.0 1.0 3.26 C
BOG	29.30 346 3.63 1.1 3260.7 898.4 15.0 0.5 3.60 C
CAR	34.30 8 3.64 1.0 3815.5 1048.4 10.0 0.6 3.23 C

LPB 83	VII 06 05 54 55.8 24.175 67.09 189 4.4	7.65 353 3.64	0.5 849.1	233.3	22.5 0.8 3.29 C
ARE		8.71 331 3.52	2.0 986.0	279.8	27.2 0.9 2.16 C
BOG	NO Lg	29.40 346	3272.1		
CAR		34.50 0 3.64	1.3 3837.9	1055.3	18.6 0.8 4.21 C

LPB 83	VII 07 04 50 37.8 20.695 68.96 112 4.9	4.21 11 3.53	2.5 480.9	136.2	560.0 0.7 4.92 B
ARE		4.84 330 3.37	2.4 549.3	162.8	637.5 0.9 4.90 C
BOG	NO Lg	25.60 348	2846.6		
CAR		31.10 4 3.63	0.5 3457.3	953.3	19.0 1.2 2.92 C

LPB 83	VII 08 02 03 16.0 20.705 69.50 82 5.2	3.76 21 3.68	0.8 425.7	115.7	1326.0 0.9 4.84 C
AMT		3.72 193 3.63	1.2 450.0	116.3	91.5 0.8 2.64 C
ARE		4.07 332 3.56	7.6 459.6	129.0	1025.0 1.1 4.49 C
CAR		30.49 5 3.63	0.7 3528.7	934.0	71.5 1.5 3.32 C
BOG		24.95 349 3.41	1.0 2773.4	813.6	98.8 1.3 3.56 C

LPB 83	VII 15 23 41 9.5 23.105 68.20 172 ---	6.56 1 3.59	2.1 740.9	208.5	62.0 1.2 C
NNA		13.00 322 3.60	5.6 1542.9	428.5	49.5 1.5 C

LPB 83	VII 19 04 33 24.5 22.065 68.49 126 4.7	5.51 4 3.62	4.8 625.0	172.5	100.0 1.1 1.56 C
ARE		6.25 333 3.61	15.3 705.8	195.5	185.3 0.9 4.35 C
CAR		32.40 3 3.60	2.2 3602.2	1005.0	21.7 0.7 3.90 C
LPA		15.00 146 3.62	5.6 1760.0	485.0	126.0 1.4 4.26 C
NNA		12.00 320 3.61	3.5 1427.8	395.5	33.7 1.4 2.96 C

LPB 83	VII 19 20 21 28.8 24.235 67.07 192 4.3	7.72 352 3.57	0.4 878.9	246.5	40.0 1.0 3.78 C
ARE		8.78 331 3.49	5.2 994.3	284.7	94.6 1.8 4.10 C
CAR		34.50 0 3.62	0.6 3838.1	1058.0	32.5 1.1 4.63 B
LPA		13.30 145 3.62	1.1 1490.2	411.2	40.0 0.8 4.50 B
NNA		15.30 321 3.61	1.9 1710.8	473.2	77.4 1.8 4.09 C

LPB 83	VII 19 22 10 39.3 20.655 69.50 158 ---	4.30 18 3.60	1.4 503.2	139.7	53.0 1.1 C
ARE		4.57 335 3.39	5.2 531.8	156.7	142.0 1.0 C
CAR		31.10 5 3.60	6.6 3458.8	960.0	129.0 1.8 C
LPA		17.50 147 3.56	1.0 1950.2	545.7	42.0 0.8 C
NNA		11.10 320 3.56	6.4 1242.4	345.7	198.7 1.7 C

LPB 83	VII 20 05 40 52.5 22.805 68.85 128 4.7	6.28 7 3.63	6.5 709.4	195.5	137.5 1.1 3.92 C
ARE		6.79 330 3.63	9.1 765.2	210.5	60.3 0.9 3.45 B
CAR		33.20 3 3.57	1.0 3691.1	1032.5	84.5 1.6 4.38 C
LPA		15.40 144 3.56	0.9 1715.9	400.5	36.0 0.8 3.64 C
NNA		13.20 323 3.55	2.8 1472.2	412.5	52.0 1.6 3.25 C

LPB 83	VII 20 22 11 54.0	25.375	70.20	69 ---	9.01	13 3.60	1.6	1003.5	278.6	28.0	0.7	C
ARE					8.95	352 3.40	4.6	996.8	295.0	53.2	1.1	C
CAR					25.90	5 3.56	1.1	3978.3	1116.0	88.0	1.5	C
LPA					14.20	135 3.58	0.9	1579.3	441.0	33.6	0.5	C
NNA					14.70	333 3.58	1.7	1633.4	456.0	33.7	1.4	C

LPB 83	VII 21 07 11 32.3	22.345	68.54	119 5.5	5.79	4 3.60	4.7	654.2	181.7	3116.0	1.3 4.99	C
ARE					6.47	334 3.50	1.5	728.7	207.7	310.0	1.2 3.13	B
CAR					36.28	3 3.64	3.2	4032.9	1107.7	205.2	2.0 3.59	C
LPA					15.60	146 3.56	2.3	1737.4	487.7	640.0	1.0 4.51	B
NNA					12.98	321 3.58	3.8	1447.1	404.5	123.7	1.5 2.60	C

BRASIL

LPB 80	XI 20 03 29 41.8	4.505	38.30	00 5.2	31.63	245 3.57	6.4	3514.4	983.2	1625.0	1.6 6.00	A
ARE					34.71	247 3.69	5.1	3856.6	1044.3	495.0	2.5 4.67	B
CAR					32.16	298 3.64	2.0	3573.3	980.7	203.0	1.5 4.27	B

LPB 86	XI 30 05 19 40.3	5.505	35.70	5 4.9	33.52	248 3.58	2.2	3724.4	1040.3	115.0	1.2 4.55	A
CAR					34.86	297 3.44	10.3	3873.3	1121.0	103.0	1.8 4.13	B

PERU-BRASIL

LPB 78	V 28 06 07 3.8	6.705	75.00	75 4.8	11.60	148 3.47	5.1	1291.1	372.1	205.0	1.2 4.42	B
ARE					10.10	164 3.76	2.3	1124.7	296.2	35.0	1.1 2.86	C
NNA					5.74	204 3.64	2.0	642.2	176.2	161.0	0.8 4.09	B

LPB 82	VIII 15 06 11 16.8	10.125	76.47	117 5.5	10.34	129 3.52	4.6	1154.8	328.2	520.0	1.0 4.04	A
ANT					14.69	158 3.64	2.0	1636.4	453.2	250.0	1.8 3.17	C
NNA				NO Lg	1.89	191		240.4				
PEL					23.52	168 3.68	3.7	2613.3	710.2	247.0	2.5 3.20	C
TRN					25.50	36 3.63	2.2	2835.7	780.4	688.0	1.8 4.41	B

LPB 83	III 20 01 56 38.6	10.485	74.00	18 5.4	8.90	133 3.55	12.8	989.0	278.4	372.3	0.9 3.93	A
NNA					2.44	232 3.60	1.2	271.7	75.4	170.0	1.0 2.79	C
PEL					22.88	171 3.43	0.8	2542.3	741.4	108.0	2.0 2.84	C

LPB 83	V 21 19 27 56.0 10.575 74.78 10 5.2	8.79 133 3.63	8.2 976.7	268.6	275.0 1.1 3.84 B
ANT		13.70 163 3.65	6.9 1522.2	417.0	38.5 1.4 2.23 C
ARE		6.67 152 3.63	4.0 741.2	204.0	222.5 1.1 3.48 B
BOG		15.11 3 3.47	4.2 1678.9	484.0	117.8 1.2 3.40 C
CAR		22.35 21 3.45	1.9 2483.3	719.8	102.3 1.2 3.57 B
LPA		28.70 150 3.60	1.0 3188.9	884.0	28.0 0.6 3.25 C
NNA		2.46 335 3.69	2.2 273.5	74.0	310.0 1.2 3.07 B
PEL		22.78 171 3.48	2.4 2531.1	728.0	88.0 1.5 3.27 C

LPB 83	V 21 20 05 13.0 10.595 74.79 10 5.2	8.79 133 3.62	6.4 976.6	269.8	260.0 1.0 3.88 A
ANT		13.70 163 3.40	2.8 1522.2	447.0	33.7 1.4 2.11 C
ARE		6.65 152 3.66	10.9 740.1	202.0	595.2 1.2 4.26 B
BOG		15.13 3 3.63	8.7 1681.1	462.0	280.5 1.5 4.26 B
CAR		22.37 21 3.61	0.7 2485.6	688.0	49.6 1.2 2.94 B
LPA		21.70 150 3.59	1.6 3188.9	887.0	136.8 1.3 3.96 C
NNA		2.44 235 3.61	3.5 271.3	69.0	110.2 1.3 2.10 C
PEL		22.76 171 3.58	8.1 2528.9	707.0	48.7 1.6 2.69 C

LPB 83	VI 21 09 23 56.2 8.565 74.38 152 5.1	10.02 143 3.58	6.1 1123.6	313.8	362.5 1.1 4.35 A
ARE		8.34 161 3.50	2.2 939.0	268.4	115.0 0.9 3.53 B
BOG		13.10 1 3.50	2.1 1463.5	417.6	155.0 1.2 3.72 B
CAR		20.34 27 3.51	1.3 2265.1	644.4	92.0 1.1 3.66 B
PEL		24.70 173 3.62	6.0 2741.6	758.8	52.0 1.6 2.99 C

LPB 83	VII 15 20 16 54.1 17.635 71.57 70 4.8	3.50 72 3.50	3.7 395.1	112.9	600.0 1.0 4.74 C
NNA		7.58 317 3.44	4.5 845.1	245.9	275.0 1.5 4.19 B
SJG		35.92 9 3.67	1.0 3991.7	1085.9	39.0 0.9 4.30 C

LPB 83	XII 03 18 39 51.0 17.615 69.51 178 ---	1.72 52 3.61	1.5 261.2	72.3	800.0 1.0 C
ANT		6.10 188 3.61	0.5 700.7	194.0	12.0 0.8 B
CAR		28.10 5 3.56	0.5 3127.3	879.0	10.5 0.8 C
NNA		9.03 307 3.53	3.1 1019.0	288.0	47.2 1.4 C

LPB 83	XII 05 07 00 31.0 16.805 72.50 92 ---	4.23 86 3.60	2.8 478.9	133.0	84.0 1.2 C
ANT		7.10 164 3.62	8.4 794.2	219.0	7.0 0.6 C
CAR		27.70 12 3.56	3.1 3079.1	864.0	67.5 1.4 C
NNA		6.40 318 3.60	1.5 717.0	199.0	12.5 1.1 C

ECUADOR

LPB 83	VII 21 06 46	4.9	1.33S	80.99	54	5.0	19.74	141	3.55	1.3	2194.0	617.6	165.0	1.5	4.06	C
ARE							17.17	149	3.57	1.5	1968.5	535.1	125.5	1.1	3.98	C
CAR							18.28	50	3.59	1.2	2031.8	565.1	60.0	1.0	3.48	C
LPA							11.40	159	3.57	0.7	1267.8	355.1	42.0	0.8	3.02	C
NNA							11.36	159	3.56	1.4	1263.4	355.1	186.0	1.2	3.96	B

Lg apparent velocity and normalized amplitude appear independent of the distance in spite of data dispersion, as it appears in figures 6 and 7 .




Fig. 6 .- Lg apparent velocity vs. distance.




Fig. 7 .- Lg/P vs. distance.

Comparison of L_g/P and e is presented in fig. 8, again with a high data dispersion.




Fig. 8 .- L_p/P vs. energy.

Table III shows the frequency of occurrence of each apparent velocity interval; practically data extends between 3.48 and 3.68 km/s, what may seem a too broad range, but it happens because in most cases L_g has an emergent character.

Table III .- L_g apparent velocity.

---CLASS	LIMITS---	FREQUENCY	PERCENT (%)	
3.30	- 3.32	0	.00	
3.32	- 3.34	1	.56)=
3.34	- 3.36	1	.56)=
3.36	- 3.38	1	.56)=
3.38	- 3.40	2	1.13)=
3.40	- 3.42	3	1.69)=
3.42	- 3.44	2	1.13)=
3.44	- 3.46	4	2.26)=
3.46	- 3.48	2	1.13)=
3.48	- 3.50	5	2.82)=
3.50	- 3.52	12	6.78)=
3.52	- 3.54	9	5.08)=
3.54	- 3.56	13	7.34)=
3.56	- 3.58	23	12.99)=
3.58	- 3.60	14	7.91)=
3.60	- 3.62	22	12.43)=
3.62	- 3.64	25	14.12)=
3.64	- 3.66	15	8.47)=
3.66	- 3.68	14	7.91)=
3.68	- 3.70	9	5.08)=
TOTAL		177	100.00	

Table IV sets off that commonly Lg amplitude equals P amplitude (in South America in many cases Rg phase is much larger than Lg; it should be carefully analysed in the future). An exception of abnormally high Lg/P = 38 acquires a special relief.

Table IV .- Normalized amplitude Lg/P

CLASS	LIMITS	FREQUENCY	PERCENT (%)	
0.00	- 1.00	25	14.12)=====
1.00	- 2.00	54	30.51)=====
2.00	- 3.00	32	18.08)=====
3.00	- 4.00	16	9.04)=====
4.00	- 5.00	14	7.91)=====
5.00	- 6.00	11	6.21)=====
6.00	- 7.00	10	5.65)=====
7.00	- 8.00	2	1.13)=
8.00	- 9.00	4	2.26)=
9.00	- 10.00	2	1.13)=
10.00	- 11.00	2	1.13)=
11.00	- 12.00	0	.00)
12.00	- 13.00	1	.56)
13.00	- 14.00	0	.00)
14.00	- 15.00	0	.00)
15.00	- 16.00	1	.56)
16.00	- 17.00	1	.56)
17.00	- 18.00	1	.56)
38.00	- 39.00	1	.56)
		TOTAL 177	100.00	

Looking for a more detailed analysis, it will be convenient to consider Lg characteristics separately both by seismogenic regions and by recording stations; actually most of wave paths are partly cordilleran and partly shield.

Table V
Number of each Lg character in South America stations

STA	A	B	C	TOTAL
LPB	12	10	19	41
ANT	1	4	5	10
ARE	0	14	13	27
BOG	0	3	7	10
CAR	0	5	5	11
NNA	0	7	13	20
PEL	1	0	8	9
QUI	0	1	0	1
SJG	0	0	4	4
TRN	0	1	3	4

Table VI shows together apparent velocity, normalized amplitude and normalized energy according to origin regions. It merits some comments:

It is evident that Lg velocity is the same either for all the origin regions or for all the stations considered, since the largest standard deviation calculated was 0.05 km/s in ARE less than for LPB and 0.05 km/s in SJG more than for LPB.

Table VI

REGION	Lg VELOCITY			Lg/P			ENERGY			NO. MEASURES
	min	max	mean	min	max	mean	min	max	mean	
Colombia	3.43	3.66	3.56	0.5	8.3	2.4	2.4	5.4	3.7	19
Venezuela	3.48	3.68	3.60	1.9	9.5	4.2	3.3	5.3	4.6	9
Argentina	3.33	3.68	3.60	0.2	8.1	2.6	2.4	5.2	3.6	32
Chile	3.37	3.69	3.58	0.1	33.4	3.9	0	5.6	3.0	65
Brazil	3.44	3.69	3.58	2.0	10.3	5.2	4.1	6.0	4.7	5
Peru	3.40	3.76	3.58	0.2	12.0	3.4	0	4.7	3.2	42
Ecuador	3.55	3.59	3.57	0.7	1.5	1.2	3.0	4.1	3.7	5

Amplitude Lg/P is larger in LPB than in the other stations in 72 cases, is minor in 28 cases (for 20 earthquakes among 41 LPB has the largest normalized amplitude).




Fig. 9 .- Energy and Lg/P .

Fig. 9 shows the normalized Lg/P and e , but we have to remark again that data for Brazil (reasonable) and Ecuador (unreasonable) are not representative, because they are supported by a small number of cases.




Fig. 10 .- Character of Lg according to origin regions.

Fig. 10 shows the type of Lg recording. We see that for most of the region type C is prevalent, but not so for Venezuela and Brazil.




Fig. 11 .- Character of Lg in recording stations.

The Fig. 11 shows the frequency of each type of recording in the stations revised.

Fig. 12 shows schematically South America structure; it has been adapted from Alc6cer (1989).

Fig. 13 and 14 show Lg paths epicenter-station, with the indication of Lg recording character. Comparison with fig. 12 is self explanatory.




Fig. 12 .- South American tectonic structure (adapted from Alc6cer, 1989).

- Type A : efficiency transmission of Lg
- ◐ Type B : mean efficiency transmission of Lg
- Type C : inefficiency transmission of Lg




Fig. 13 .- Paths from northern part of South America and recording type.

- Efficiency path
- · - Median efficiency path
- - - Inefficiency path
- Epicenter
- ▲ Station




Fig. 14 .- Paths from southern part of South America and recording type.

- Efficiency path
- - - Median efficiency paths
- Inefficiency paths
- Epicenter
- ▲ Station

LPB, a privileged station ?

A question arises from several points in the present report: why La Paz is in a better condition than other stations both concerning the amplitude and the clearer type of Lg.

Looking for a convincing answer, we acknowledge that LPB is running on the cordilleran structure not far from its border, that is to say, cordilleran path is short, then it should attenuate waves by absorbing their energy, not destroying such energy, but changing it through a local enlargement of waves. They may appear an antinomy, but a similar phenomenon is well known in local earthquakes when the higher is the attenuation the stronger are destructive effects.

Conclusions

Lg phase is made up of transverse waves, SH type, guided within a layer in the continental crust.

Mean apparent velocity is 3.57 km/s; extreme values are 3.35 and 3.69 km/s. It does not change either for seismogenic regions or for recording stations.

Predominant period in LPB is 1.1 to 1.3; in several cases it is shorter to 0.7 s or longer to 2.5 s.

Normalized amplitude Lg/P in general approaches unity, (though it exceptionally reached 38). It depends on the path nature.

In general it is coherent with Bath's normalized energy.

Brasilian and Guayana Shield are efficient transmitters of Lg.

Western Colombia and Ecuador earthquakes give poor Lg records, apparently because of the difficulty of generation rather than of transmission.

Argentinian and Chilean earthquakes have a cordilleran path to La Paz; such path is inefficient for shorter periods, not so much for longer periods until 2.5 s.

Earthquakes from Peru and Peru-Brazil Border give uneven Lg in LPB, probably because of crustal structure complexities, but prevailing a transmission of medium efficiency.

Lg may originate for earthquakes deep almost 200 km in subduction zones.

Comparison of Lg recording in South America stations shows clearer and larger Lg waves in LPB for most of earthquakes. It is interpreted as an effect of local attenuation within a short cordilleran path.

References

- Alcócer, I., 1989, Estudio de las ondas Lg en la estación de LPB, a través de la Cordillera de los Andes. Tesis de Grado, Universidad Mayor de San Andrés, La Paz, Bolivia.

- Ayala, R., 1989, Estudio de las ondas Lg registradas en la estación de LPB, a través del Escudo, Tesis de Grado, Universidad Mayor de San Andrés, La Paz, Bolivia.
- Bath, M. 1954, The elastic waves Lg and Rg along Euroasiatic paths, Arkiv. Geophys., Vol. 2, 295-342.
- Cabré, R., S.J., 1971, Ondas Lg registradas en La Paz, Bolivia, Revista de Geofísica.
- Comisión de la Carta Geológica del Mundo, 1964, Mapa Geológico de América del Sur, Conselho Nacional de Pesquisas, Brasil.
- Couch, R., R. Whitsett, B. Huehn, L. Briceno-Guarupe, 1981, Structures of the continental margin of the Peru and Chile, Geological Society of America, Memoir 154.
- Chinn, D.S., Isacks, B.L., Barazangi, M., 1980, High frequency seismic wave propagation in Western South America along the continental margin, in the Nazca Plate and across the Altiplano, Geophys. J. R. Astr. Soc., Vol. 60, 209-244.
- Meissner, R., F. Flusch, F. Stibane and E. Berg, 1976, Dynamics of the active plate boundary in South-west Colombia according to recent geophysical measurements, Tectonophysics, Vol. 35, 115-136.
- Minaya, E., R. Ayala, I. Alcócer, R. Cabré S.J., 1989, Ondas Lg de sismos sudamericanos, Revista Geofísica. (in press).
- Pomeroy, P. W., W. J. Best and T. V. McEvelly, 1982, Test Ban Treaty Verification with Regional data-Review, Bull. Seism. Soc. Am., Vol. 72, S89-S129.
- Press, F. and E. Ewing, 1952, Two slow surface waves across North America, Bull. Seism. Soc. Am., Vol. 42, No. 1, 219-228.

CONTRACTORS (United States)

Prof. Thomas Ahrens
Seismological Lab, 252-21
Division of Geological & Planetary Sciences
California Institute of Technology
Pasadena, CA 91125

Prof. Charles B. Archambeau
CIRES
University of Colorado
Boulder, CO 80309

Prof. Muawia Barazangi
Institute for the Study of the Continent
Cornell University
Ithaca, NY 14853

Dr. Douglas R. Baumgardt
ENSCO, Inc
5400 Port Royal Road
Springfield, VA 22151-2388

Prof. Jonathan Berger
IGPP, A-025
Scripps Institution of Oceanography
University of California, San Diego
La Jolla, CA 92093

Dr. Lawrence J. Burdick
Woodward-Clyde Consultants
566 El Dorado Street
Pasadena, CA 91109-3245

Dr. Karl Coyner
New England Research, Inc.
76 Olcott Drive
White River Junction, VT 05001

Prof. Vernon F. Cormier
Department of Geology & Geophysics
U-45, Room 207
The University of Connecticut
Storrs, CT 06268

Prof. Steven Day
Department of Geological Sciences
San Diego State University
San Diego, CA 92182

Dr. Zoltan A. Der
ENSCO, Inc.
5400 Port Royal Road
Springfield, VA 22151-2388

Prof. John Ferguson
Center for Lithospheric Studies
The University of Texas at Dallas
P.O. Box 830688
Richardson, TX 75083-0688

Prof. Stanley Flatte
Applied Sciences Building
University of California
Santa Cruz, CA 95064

Dr. Alexander Florence
SRI International
333 Ravenswood Avenue
Menlo Park, CA 94025-3493

Prof. Henry L. Gray
Vice Provost and Dean
Department of Statistical Sciences
Southern Methodist University
Dallas, TX 75275

Dr. Indra Gupta
Teledyne Geotech
314 Montgomery Street
Alexandria, VA 22314

Prof. David G. Harkrider
Seismological Laboratory
Division of Geological & Planetary Sciences
California Institute of Technology
Pasadena, CA 91125

Prof. Donald V. Helmberger
Seismological Laboratory
Division of Geological & Planetary Sciences
California Institute of Technology
Pasadena, CA 91125

Prof. Eugene Herrin
Institute for the Study of Earth and Man
Geophysical Laboratory
Southern Methodist University
Dallas, TX 75275

Prof. Robert B. Herrmann
Department of Earth & Atmospheric Sciences
St. Louis University
St. Louis, MO 63156

Prof. Bryan Isacks
Cornell University
Department of Geological Sciences
SNEE Hall
Ithaca, NY 14850

Dr. Rong-Song Jih
Teledyne Geotech
314 Montgomery Street
Alexandria, VA 22314

Prof. Larie R. Johnson
Seismographic Station
University of California
Berkeley, CA 94720

Prof. Alan Kafka
Department of Geology & Geophysics
Boston College
Chestnut Hill, MA 02167

Prof. Fred K. Lamb
University of Illinois at Urbana-Champaign
Department of Physics
1110 West Green Street
Urbana, IL 61801

Prof. Charles A. Langston
Geosciences Department
403 Deike Building
The Pennsylvania State University
University Park, PA 16802

Prof. Thorne Lay
Department of Geological Sciences
1006 C.C. Little Building
University of Michigan
Ann Arbor, MI 48109-1063

Prof. Arthur Lerner-Lam
Lamont-Doherty Geological Observatory
of Columbia University
Palisades, NY 10964

Dr. Christopher Lynnes
Teledyne Geotech
314 Montgomery Street
Alexandria, VA 22314

Prof. Peter Malin
University of California at Santa Barbara
Institute for Crustal Studies
Santa Barbara, CA 93106

Dr. Randolph Martin, III
New England Research, Inc.
76 Olcott Drive
White River Junction, VT 05001

Dr. Gary McCartor
Mission Research Corporation
735 State Street
P.O. Drawer 719
Santa Barbara, CA 93102 (2 copies)

Prof. Thomas V. McEvilly
Seismographic Station
University of California
Berkeley, CA 94720

Dr. Keith L. McLaughlin
S-CUBED
A Division of Maxwell Laboratory
P.O. Box 1620
La Jolla, CA 92038-1620

Prof. William Menke
Lamont-Doherty Geological Observatory
of Columbia University
Palisades, NY 10964

Stephen Miller
SRI International
333 Ravenswood Avenue
Box AF 116
Menlo Park, CA 94025-3493

Prof. Bernard Minster
IGPP, A-025
Scripps Institute of Oceanography
University of California, San Diego
La Jolla, CA 92093

Prof. Brian J. Mitchell
Department of Earth & Atmospheric Sciences
St. Louis University
St. Louis, MO 63156

Mr. Jack Murphy
S-CUBED, A Division of Maxwell Laboratory
11800 Sunrise Valley Drive
Suite 1212
Reston, VA 22091 (2 copies)

Dr. Bao Nguyen
GL/LWH
Hanscom AFB, MA 01731-5000

Prof. John A. Orcutt
IGPP, A-025
Scripps Institute of Oceanography
University of California, San Diego
La Jolla, CA 92093

Prof. Keith Priestley
University of Nevada
Mackay School of Mines
Reno, NV 89557

Prof. Paul G. Richards
Lamont-Doherty Geological Observatory
of Columbia University
Palisades, NY 10964

Dr. Wilmer Rivers
Teledyne Geotech
314 Montgomery Street
Alexandria, VA 22314

Dr. Alan S. Ryall, Jr.
Center for Seismic Studies
1300 North 17th Street
Suite 1450
Arlington, VA 22209-2308

Prof. Charles G. Sammis
Center for Earth Sciences
University of Southern California
University Park
Los Angeles, CA 90089-0741

Prof. Christopher H. Scholz
Lamont-Doherty Geological Observatory
of Columbia University
Palisades, NY 10964

Prof. David G. Simpson
Lamont-Doherty Geological Observatory
of Columbia University
Palisades, NY 10964

Dr. Jeffrey Stevens
S-CUBED
A Division of Maxwell Laboratory
P.O. Box 1620
La Jolla, CA 92038-1620

Prof. Brian Stump
Institute for the Study of Earth & Man
Geophysical Laboratory
Southern Methodist University
Dallas, TX 75275

Prof. Jeremiah Sullivan
University of Illinois at Urbana-Champaign
Department of Physics
1110 West Green Street
Urbana, IL 61801

Prof. Clifford Thurber
University of Wisconsin-Madison
Department of Geology & Geophysics
1215 West Dayton Street
Madison, WI 53706

Prof. M. Nafi Toksoz
Earth Resources Lab
Massachusetts Institute of Technology
42 Carleton Street
Cambridge, MA 02142

Prof. John E. Vidale
University of California at Santa Cruz
Seismological Laboratory
Santa Cruz, CA 95064

Prof. Terry C. Wallace
Department of Geosciences
Building #77
University of Arizona
Tucson, AZ 85721

Dr. Raymond Willeman
GL/LWH
Hanscom AFB, MA 01731-5000

Dr. Lorraine Wolf
GL/LWH
Hanscom AFB, MA 01731-5000

Prof. Francis T. Wu
Department of Geological Sciences
State University of New York
at Binghamton
Vestal, NY 13901

OWNERS (United States)

Dr. Monem Abdel-Gawad
Rockwell International Science Center
1049 Camino Dos Rios
Thousand Oaks, CA 91360

Dr. Stephen Bratt
Science Applications Int'l Corp.
10210 Campus Point Drive
San Diego, CA 92121

Prof. Keiiti Aki
Center for Earth Sciences
University of Southern California
University Park
Los Angeles, CA 90089-0741

Michael Browne
Teledyne Geotech
3401 Shiloh Road
Garland, TX 75041

Prof. Shelton S. Alexander
Geosciences Department
403 Deike Building
The Pennsylvania State University
University Park, PA 16802

Mr. Roy Burger
1221 Serry Road
Schenectady, NY 12309

Dr. Ralph Archuleta
Department of Geological Sciences
University of California at Santa Barbara
Santa Barbara, CA 93102

Dr. Robert Burrige
Schlumberger-Doll Research Center
Old Quarry Road
Ridgefield, CT 06877

Dr. Thomas C. Bache, Jr.
Science Applications Int'l Corp.
10210 Campus Point Drive
San Diego, CA 92121 (2 copies)

Dr. Jerry Carter
Rondout Associates
P.O. Box 224
Stone Ridge, NY 12484

J. Barker
Department of Geological Sciences
State University of New York
at Binghamton
Vestal, NY 13901

Dr. W. Winston Chan
Teledyne Geotech
314 Montgomery Street
Alexandria, VA 22314-1581

Dr. T.J. Bennett
S-CUBED
A Division of Maxwell Laboratory
11800 Sunrise Valley Drive, Suite 1212
Reston, VA 22091

Dr. Theodore Cherry
Science Horizons, Inc.
710 Encinitas Blvd., Suite 200
Encinitas, CA 92024 (2 copies)

Mr. William J. Best
907 Westwood Drive
Vienna, VA 22180

Prof. Jon F. Claerbout
Department of Geophysics
Stanford University
Stanford, CA 94305

Dr. N. Biswas
Geophysical Institute
University of Alaska
Fairbanks, AK 99701

Prof. Robert W. Clayton
Seismological Laboratory
Division of Geological & Planetary Sciences
California Institute of Technology
Pasadena, CA 91125

Dr. G.A. Bollinger
Department of Geological Sciences
Virginia Polytechnical Institute
21044 Derring Hall
Blacksburg, VA 24061

Prof. F. A. Dahlen
Geological and Geophysical Sciences
Princeton University
Princeton, NJ 08544-0636

Prof. Anton W. Dainty
Earth Resources Lab
Massachusetts Institute of Technology
42 Carleton Street
Cambridge, MA 02142

Prof. Adam Dziewonski
Hoffman Laboratory
Harvard University
20 Oxford St
Cambridge, MA 02138

Prof. John Ebel
Department of Geology & Geophysics
Boston College
Chestnut Hill, MA 02167

Eric Fielding
SNEE Hall
INSTOC
Cornell University
Ithaca, NY 14853

Prof. Donald Forsyth
Department of Geological Sciences
Brown University
Providence, RI 02912

Dr. Anthony Gangi
Texas A&M University
Department of Geophysics
College Station, TX 77843

Dr. Freeman Gilbert
Inst. of Geophysics & Planetary Physics
University of California, San Diego
P.O. Box 109
La Jolla, CA 92037

Mr. Edward Giller
Pacific Sierra Research Corp.
1401 Wilson Boulevard
Arlington, VA 22209

Dr. Jeffrey W. Given
Sierra Geophysics
11255 Kirkland Way
Kirkland, WA 98033

Prof. Steven Grand
University of Texas at Austin
Department of Geological Sciences
Austin, TX 78713-7909

Prof. Roy Greenfield
Geosciences Department
403 Deike Building
The Pennsylvania State University
University Park, PA 16802

Dan N. Hagedorn
Battelle
Pacific Northwest Laboratories
Battelle Boulevard
Richland, WA 99352

Kevin Hutchenson
Department of Earth Sciences
St. Louis University
3507 Laclede
St. Louis, MO 63103

Prof. Thomas H. Jordan
Department of Earth, Atmospheric
and Planetary Sciences
Massachusetts Institute of Technology
Cambridge, MA 02139

Robert C. Kemerait
ENSCO, Inc.
445 Pineda Court
Melbourne, FL 32940

William Kikendall
Teledyne Geotech
3401 Shiloh Road
Garland, TX 75041

Prof. Leon Knopoff
University of California
Institute of Geophysics & Planetary Physics
Los Angeles, CA 90024

Prof. L. Timothy Long
School of Geophysical Sciences
Georgia Institute of Technology
Atlanta, GA 30332

Dr. George Mellman
Sierra Geophysics
11255 Kirkland Way
Kirkland, WA 98033

Prof. John Nabelek
College of Oceanography
Oregon State University
Corvallis, OR 97331

Prof. Geza Nagy
University of California, San Diego
Department of Ames, M.S. B-010
La Jolla, CA 92093

John Sherwin
Teledyne Geotech
3401 Shiloh Road
Garland, TX 75041

Prof. Ames Nur
Department of Geophysics
Stanford University
Stanford, CA 94305

Prof. Robert Smith
Department of Geophysics
University of Utah
1400 East 2nd South
Salt Lake City, UT 84112

Prof. Jack Oliver
Department of Geology
Cornell University
Ithaca, NY 14850

Prof. S. W. Smith
Geophysics Program
University of Washington
Seattle, WA 98195

Prof. Robert Phinney
Geological & Geophysical Sciences
Princeton University
Princeton, NJ 08544-0636

Dr. Stewart Smith
IRIS Inc.
1616 North Fort Myer Drive
Suite 1440
Arlington, VA 22209

Dr. Paul Pomeroy
Rondout Associates
P.O. Box 224
Stone Ridge, NY 12484

Dr. George Sutton
Rondout Associates
P.O. Box 224
Stone Ridge, NY 12484

Dr. Jay Pulli
RADIX System, Inc.
2 Taft Court, Suite 203
Rockville, MD 20850

Prof. L. Sykes
Lamont-Doherty Geological Observatory
of Columbia University
Palisades, NY 10964

Dr. Norton Rimer
S-CUBED
A Division of Maxwell Laboratory
P.O. Box 1620
La Jolla, CA 92038-1620

Prof. Pradeep Talwani
Department of Geological Sciences
University of South Carolina
Columbia, SC 29208

Prof. Larry J. Ruff
Department of Geological Sciences
1006 C.C. Little Building
University of Michigan
Ann Arbor, MI 48109-1063

Prof. Ta-liang Teng
Center for Earth Sciences
University of Southern California
University Park
Los Angeles, CA 90089-0741

Dr. Richard Sailor
TASC Inc.
55 Walkers Brook Drive
Reading, MA 01867

Dr. R.B. Tittmann
Rockwell International Science Center
1049 Camino Dos Rios
P.O. Box 1085
Thousand Oaks, CA 91360

Thomas J. Sereno, Jr.
Science Application Int'l Corp.
10210 Campus Point Drive
San Diego, CA 92121

Dr. Gregory van der Vink
IRIS, Inc.
1616 North Fort Myer Drive
Suite 1440
Arlington, VA 22209

William R. Walter
Seismological Laboratory
University of Nevada
Reno, NV 89557

Dr. Gregory Wojcik
Weidlinger Associates
4410 El Camino Real
Suite 110
Los Altos, CA 94022

Prof. John H. Woodhouse
Hoffman Laboratory
Harvard University
20 Oxford Street
Cambridge, MA 02138

Dr. Gregory B. Young
ENSCO, Inc.
5400 Port Royal Road
Springfield, VA 22151-2388

FOREIGN (Others)

Dr. Peter Basham
Earth Physics Branch
Geological Survey of Canada
1 Observatory Crescent
Ottawa, Ontario, CANADA K1A 0Y3

Dr. Eduard Berg
Institute of Geophysics
University of Hawaii
Honolulu, HI 96822

Dr. Michel Bouchon
I.R.I.G.M.-B.P. 68
38402 St. Martin D'Heres
Cedex, FRANCE

Dr. Hilmar Bungum
NTNF/NORSAR
P.O. Box 51
N-2007 Kjeller, NORWAY

Dr. Michel Campillo
Observatoire de Grenoble
I.R.I.G.M.-B.P. 53
38041 Grenoble, FRANCE

Dr. Kin Yip Chun
Geophysics Division
Physics Department
University of Toronto
Ontario, CANADA M5S 1A7

Dr. Alan Douglas
Ministry of Defense
Blacknest, Brimpton
Reading RG7-4RS, UNITED KINGDOM

Dr. Roger Hansen
NTNF/NORSAR
P.O. Box 51
N-2007 Kjeller, NORWAY

Dr. Manfred Henger
Federal Institute for Geosciences & Nat'l Res.
Postfach 510153
D-3000 Hanover 51, FRG

Ms. Eva Johannisson
Senior Research Officer
National Defense Research Inst.
P.O. Box 27322
S-102 54 Stockholm, SWEDEN

Dr. Fekadu Kebede
Seismological Section
Box 12019
S-750 Uppsala, SWEDEN

Dr. Tormod Kvaerna
NTNF/NORSAR
P.O. Box 51
N-2007 Kjeller, NORWAY

Dr. Peter Marshal
Procurement Executive
Ministry of Defense
Blacknest, Brimpton
Reading FG7-4RS, UNITED KINGDOM

Prof. Ari Ben-Menahem
Department of Applied Mathematics
Weizman Institute of Science
Rehovot, ISRAEL 951729

Dr. Robert North
Geophysics Division
Geological Survey of Canada
1 Observatory Crescent
Ottawa, Ontario, CANADA K1A 0Y3

Dr. Frode Ringdal
NTNF/NORSAR
P.O. Box 51
N-2007 Kjeller, NORWAY

Dr. Jorg Schlittenhardt
Federal Institute for Geosciences & Nat'l Res.
Postfach 510153
D-3000 Hannover 51, FEDERAL REPUBLIC OF
GERMANY

Prof. Daniel Walker
University of Hawaii
Institute of Geophysics
Honolulu, HI 96822

FOREIGN CONTRACTORS

Dr. Ramon Cabre, S.J.
Observatorio San Calixto
Casilla 5939
La Paz, Bolivia

Prof. Hans-Peter Harjes
Institute for Geophysik
Ruhr University/Bochum
P.O. Box 102148
4630 Bochum 1, FRG

Prof. Eystein Husebye
NTNF/NORSAR
P.O. Box 51
N-2007 Kjeller, NORWAY

Prof. Brian L.N. Kennett
Research School of Earth Sciences
Institute of Advanced Studies
G.P.O. Box 4
Canberra 2601, AUSTRALIA

Dr. Bernard Massinon
Societe Radiomana
27 rue Claude Bernard
75005 Paris, FRANCE (2 Copies)

Dr. Pierre Mecheler
Societe Radiomana
27 rue Claude Bernard
75005 Paris, FRANCE

Dr. Svein Mykkeltveit
NTNF/NORSAR
P.O. Box 51
N-2007 Kjeller, NORWAY

GOVERNMENT

Dr. Ralph Alewine III
DARPA/NMRO
1400 Wilson Boulevard
Arlington, VA 22209-2308

Paul Johnson
ESS-4, Mail Stop J979
Los Alamos National Laboratory
Los Alamos, NM 87545

Mr. James C. Battis
GL/LWH
Hanscom AFB, MA 01731-5000

Janet Johnston
GL/LWH
Hanscom AFB, MA 01731-5000

Dr. Robert Blandford
DARPA/NMRO
1400 Wilson Boulevard
Arlington, VA 22209-2308

Dr. Katharine Kadinsky-Cade
GL/LWH
Hanscom AFB, MA 01731-5000

Eric Chael
Division 9241
Sandia Laboratory
Albuquerque, NM 87185

Ms. Ann Kerr
IGPP, A-025
Scripps Institute of Oceanography
University of California, San Diego
La Jolla, CA 92093

Dr. John J. Cipar
GL/LWH
Hanscom AFB, MA 01731-5000

Dr. Max Koontz
US Dept of Energy/DP 5
Forrestal Building
1000 Independence Avenue
Washington, DC 20585

Mr. Charles L. Taylor
GL/LWG
Hanscom AFB, MA 01731-5000

Dr. W.H.K. Lee
Office of Earthquakes, Volcanoes,
& Engineering
345 Middlefield Road
Menlo Park, CA 94025

Dr. Jack Evernden
USGS - Earthquake Studies
345 Middlefield Road
Menlo Park, CA 94025

Dr. William Leith
U.S. Geological Survey
Mail Stop 928
Reston, VA 22092

Art Frankel
USGS
922 National Center
Reston, VA 22092

Dr. Richard Lewis
Director, Earthquake Engineering & Geophysics
U.S. Army Corps of Engineers
Box 631
Vicksburg, MS 39180

Dr. T. Hanks
USGS
Nat'l Earthquake Research Center
345 Middlefield Road
Menlo Park, CA 94025

James F. Lewkowicz
GL/LWH
Hanscom AFB, MA 01731-5000

Dr. James Hannon
Lawrence Livermore Nat'l Laboratory
P.O. Box 808
Livermore, CA 94550

Mr. Alfred Lieberman
ACDA/VI-OA'State Department Bldg
Room 5726
320 - 21st Street, NW
Washington, DC 20451

Stephen Mangino
GL/LWH
Hanscom AFB, MA 01731-5000

Dr. Frank F. Pilotte
HQ AFTAC/TT
Patrick AFB, FL 32925-6001

Dr. Robert Masse
Box 25046, Mail Stop 967
Denver Federal Center
Denver, CO 80225

Mr. Jack Rachlin
U.S. Geological Survey
Geology, Rm 3 C136
Mail Stop 928 National Center
Reston, VA 22092

Art McGarr
U.S. Geological Survey, MS-977
345 Middlefield Road
Menlo Park, CA 94025

Dr. Robert Reinke
WL/NTESG
Kirtland AFB, NM 87117-6008

Richard Morrow
ACDA/VI, Room 5741
320 21st Street N.W.
Washington, DC 20451

Dr. Byron Ristvet
HQ DNA, Nevada Operations Office
Attn: NVCG
P.O. Box 98539
Las Vegas, NV 89193

Dr. Keith K. Nakanishi
Lawrence Livermore National Laboratory
P.O. Box 808, L-205
Livermore, CA 94550

Dr. George Rothe
HQ AFTAC/TGR
Patrick AFB, FL 32925-6001

Dr. Carl Newton
Los Alamos National Laboratory
P.O. Box 1663
Mail Stop C335, Group ESS-3
Los Alamos, NM 87545

Dr. Michael Shore
Defense Nuclear Agency/SPSS
6801 Telegraph Road
Alexandria, VA 22310

Dr. Kenneth H. Olsen
Los Alamos Scientific Laboratory
P.O. Box 1663
Mail Stop C335, Group ESS-3
Los Alamos, NM 87545

Donald L. Springer
Lawrence Livermore National Laboratory
P.O. Box 808, L-205
Livermore, CA 94550

Howard J. Patton
Lawrence Livermore National Laboratory
P.O. Box 808, L-205
Livermore, CA 94550

Dr. Lawrence Turnbull
OSWR/NED
Central Intelligence Agency
Room 5G48
Washington, DC 20505

Mr. Chris Paine
Office of Senator Kennedy
SR 315
United States Senate
Washington, DC 20510

Dr. Thomas Weaver
Los Alamos National Laboratory
P.O. Box 1663, Mail Stop C335
Los Alamos, NM 87545

Colonel Jerry J. Perrizo
AFOSR/NP, Building 410
Bolling AFB
Washington, DC 20332-6448

J.J. Zucca
Lawrence Livermore National Laboratory
Box 808
Livermore, CA 94550

GL/SULL
Research Library
Hanscom AFB , MA 01731-5000 (2 copies)

Defense Intelligence Agency
Directorate for Scientific &
Technical Intelligence
Washington, DC 20301

Secretary of the Air Force (SAFRD)
Washington, DC 20330

AFTAC/CA
(STINFO)
Patrick AFB, FL 32925-6001

Office of the Secretary Defense
DDR & E
Washington, DC 20330

TACTEC
Battelle Memorial Institute
505 King Avenue
Columbus, OH 43201 (Final Report Only)

HQ DNA
Attn: Technical Library
Washington, DC 20305

DARPA/RMO/RETRIEVAL
1400 Wilson Boulevard
Arlington, VA 22209

DARPA/RMO/Security Office
1400 Wilson Boulevard
Arlington, VA 22209

Geophysics Laboratory
Attn: XO
Hanscom AFB, MA 01731-5000

Geophysics Laboratory
Attn: LW
Hanscom AFB, MA 01731-5000

DARPA/PM
1400 Wilson Boulevard
Arlington, VA 22209

Defense Technical Information Center
Cameron Station
Alexandria, VA 22314 (5 copies)